MVL monitor arms MVL keyboard supports Accessories Power and data

Accessories

OTG ACCESSORIES

MONITOR ARMS / KEYBOARD SUPPORTS M

MONITOR ARMS	MODEL #		WEIGHT KG		LIST PRICE
	MVL1SDEH	W x D x H 4.75 x 4.23-26 x 19.5 121 x 107-660 x 495	8 <i>3.63</i>	0.72 <i>0.02</i>	\$346
ngle Monitor Double Extension Height Adjustment	with standard VES Enclosed cable ma	A standards. Pole-less arm r	nonitor provides commodate mon	s a clean design and nitors up to 14 lbs. A	lick connect option for mounting mon folds into a $4\frac{3}{8}$ " area for more desk ttach to any standard 1" to 1.5" thick
	MVL2SDEH	22 x 5.95-26 x 17.5 <i>559 x 151-660 x 445</i>	9.4 <i>4.26</i>	1.57 0.04	\$476
al Monitor Double Extension Height Adjustment	with standard VES Dual cross bar hol	A standards. Counterbalance ds monitors up to 22" in horiz juick and easy. Attach to any	d spring techno ontal width eac	logy allows for 2 to 2 h. Enclosed cable m	ck connect option for mounting monit 20 lbs. load (max 10 lbs. per screen). anager. Tool-less clamp installation th flush edge by a desk clamp or throu
and and a state	OTGMA2	30 x 4.5-26 x 20 7 <i>62 x 114-660 x 508</i>	8.4 <i>3.81</i>	0.6 0.01	\$269
حف onitor Arm	17.6 lbs per monit 180-degree rotatio or portrait. Meets	or. Accommodates: 17 - 29" i on. Quick release VESA plate	nonitor sizes. N s included (72 x 5. Desk clamp a	Aonitor tile: -40 degr 72mm, 100 x 100mr	Arm extension: 15". Loading capacity rees upward tilt, -15 degrees downwa n). VESA rotation: 90 degrees for lan included (0.5 - 1.25" thick tops). Inte
YBOARD SUPPORTS	MVLKBT	20.6 x 12.5 x 4 <i>523 x 318 x 102</i>	4.78 2.17	0.42 0.01	\$173
eyboard Drawer	Palm rest/pen con	w friction ball bearing slides a apartment. Keyboard platforn lepth clearance under the s	n accommodate	s standard and ergoi	out mouse tray (mountable left or rig nomic shaped keyboards.
	MVLKP01	27.5 x 11.5 x 0.38 <i>699 x 292 x 10</i>	13.6 <i>6.17</i>	0.93 <i>0.02</i>	\$369
rticulating Keyboard Package	360° swivel. HDP	articulating arm and 27″ HDP E tray is 0.38″ thick and has a lepth clearance under the s	removable wri	st rest. Tray comes v	' tilt adjustment. Low profile design v with anti-slip strips.
	MVL5230B0	35.4 x 23.2 x 6.2 <i>899 x 589 x 157</i>	47 21.32	4.8 0.13	\$1148
esktop Sit-Stand Workstation	height adjustment		ended 20" above		ace tilts from -10°/+10°. Infinite pneu me and surface. Comes with gromme

A ACCESSORIES / POWER

Corner Desktop Sit-Stand Workstation

MODEL #

MVL5230B5

OTG ACCESSORIES

LIST PRICE

\$1508



Easily fits onto a 24" or deeper corner worksurface. Supports up to 35 lbs. Keyboard surface tilts from -10°/+10°. Infinite pneumatic height adjustment. Primary surface can be extended 20" above the desk. Black frame and surface. Comes with grommet for cord management. No tools required for installation.

9.3

0.26

MVLCPU	4 x 11 x 1.5	4	0.39	\$165	
	102 x 279 x 38	1.81	0.01		

WEIGHT LB

55

24.95

DIMENSIONS M W x D x H 42 x 38 x 6.2

1067 x 965 x 157

CPU slides on a 17" track and swivels to allow full accessibility and easy storage. Straps adjust and fasten with buckles for simple installation. Accommodates CPU's weighing up to 30 lbs. and measuring 64" in perimeter. **Requires 17" of depth clearance** under the surface for installation.

ML1324DMF	24 x 0.5 x 13.25	2.6	0.4	\$458	
	610 x 13 x 337	1.18	0.01		
ML1330DMF	30 x 0.5 x 13.25	3	0.5	\$460	
	762 x 13 x 337	1.36	0.01		
ML1336DMF	36 x 0.5 x 13.25	3.6	0.6	\$494	
	914 x 13 x 337	1.63	0.01		
ML1342DMF	42 x 0.5 x 13.25	4.2	0.7	\$529	
	1067 x 13 x 337	1.91	0.01		
ML1348DMF	48 x 0.5 x 13.25	4.8	0.8	\$530	
	1219 x 13 x 337	2.18	0.02		
ML1354DMF	54 x 0.5 x 13.25	5.4	0.9	\$565	
	1372 x 13 x 337	2.45	0.02		
ML1360DMF	60 x 0.5 x 13.25	6	1	\$759	
	1524 x 13 x 337	2.72	0.02		
ML1366DMF	66 x 0.5 x 13.25	6.6	1.1	\$785	
	1676 x 13 x 337	2.99	0.03		

Mounts to a 1" or 1 $\frac{1}{16}$ " thick worksurface. Mounting brackets included. If using a privacy panel with a monitor arm, the mounting style of the arm should be grommet mount or freestanding. These privacy panels cannot be used with edge clamp style monitor arms. Not for use with lonic benching kits. Shipped easy to assemble in 1 carton.

ML1324UMF	24 x 0.5 x 13.25	2.6	0.4	\$458	
	610 x 13 x 337	1.18	0.01		
ML1330UMF	30 x 0.5 x 13.25	3	0.5	\$460	
	762 x 13 x 337	1.36	0.01		
ML1336UMF	36 x 0.5 x 13.25	3.6	0.6	\$494	
	914 x 13 x 337	1.63	0.01		
ML1342UMF	42 x 0.5 x 13.25	4.2	0.7	\$529	
	1067 x 13 x 337	1.91	0.01		
ML1348UMF	48 x 0.5 x 13.25	4.8	0.8	\$530	
	1219 x 13 x 337	2.18	0.02		
ML1354UMF	54 x 0.5 x 13.25	5.4	0.9	\$565	
	1372 x 13 x 337	2.45	0.02		
ML1360UMF	60 x 0.5 x 13.25	6	1	\$759	
	1524 x 13 x 337	2.72	0.02		
ML1366UMF	66 x 0.5 x 13.25	6.6	1.1	\$785	
	1676 x 13 x 337	2.99	0.03		


Mounts to a 1" or 1 V_{16} " thick worksurface. Mounting brackets included. To add privacy panels to lonic benching kits (pages 105-105), use undermount privacy panels with adapter brackets MVLPPABx (page 108). If using a privacy panel with a monitor arm, the mounting style of the arm should be grommet mount or freestanding. These privacy panels cannot be used with edge clamp style monitor arms. Shipped easy to assemble in 1 carton.




CPU Holder Dual Strap

ACCESSORIES

Fabric Privacy Panel - Upmount





Fabric Privacy Panel - Undermount



officestogo.com | canadien

OTG ACCESSORIES

ACCESSOR

ACCESSORIES / POWER A

MOI	DEL#	DIMENSIONS	WEIGHT	VOLUME	LIST PRICE
		W x D x H			
Set	of 1				
MVI	_PET42-1	42 x 0.36 x 13.25	2.6	0.8	\$294
		1067 x 9 x 337	1.18	0.02	
MVI	PET48-1	48 x 0.36 x 13.25	3.3	0.9	\$309
		1219 x 9 x 337	1.5	0.02	
MVI	PET54-1	54 x 0.36 x 13.25	3.6	1	\$396
		1372 х 9 х 337	1.63	0.02	
MVI	_PET60-1	60 x 0.36 x 13.25	3.8	1.1	\$409
		1524 x 9 x 337	1.72	0.03	
MVI	_PET66-1	66 x 0.36 x 13.25	4.5	1.3	\$482
		1676 x 9 x 337	2.04	0.03	
Set	of 4				
MVI	PET42-4	42 x 0.36 x 13.25	9.5	0.8	\$1123
		1067 x 9 x 337	4.31	0.02	
MVI	PET48-4	48 x 0.36 x 13.25	11.9	1	\$1175
~		1219 x 9 x 337	5.4	0.02	
MVI	_PET54-4	54 x 0.36 x 13.25	12.8	1.1	\$1517
		1372 х 9 х 337	5.81	0.03	
MVI	_PET60-4	60 x 0.36 x 13.25	13.8	1.2	\$1561
		1524 x 9 x 337	6.26	0.03	
MVI	PET66-4	66 x 0.36 x 13.25	16.2	1.3	\$1840
		1676 x 9 x 337	7.35	0.03	+


Mounts to 1" thick laminate surface, may be installed as undermount or up mount position. Mounting brackets included. Secured with wood screws, will mar the top surface when installed in upmount position. If using a privacy panel with a monitor arm, the mounting style of the arm should be grommet mount or freestanding. These privacy panels cannot be used with edge clamp style monitor arms. Shipped easy to assemble in 1 carton.

MLDTP3224	31.5 x 15.5 x 23.5	7	0.5	\$256
	800 x 394 x 597	3.18	0.01	

Lightweight freestanding desktop partition. Move wherever you need to provide a focus space. 9mm thick PET Felt, no hardware connections. Folds flat for storage when not in use. Ships in two pieces with a puzzle-like joint. Easy to assemble.

MLESP3260	31.5 x 15.5 x 60	12	12	\$769
IVILI 31 3200	J1.J X 1J.J X 00	15	1.2	9705
	800 x 394 x 1524	59	0.03	
	000 x 004 x 1024	0.0	0.00	


Lightweight freestanding floor partition. Move wherever you need to provide a focus space. 9mm thick PET Felt, no hardware connections. Folds flat for storage when not in use. Ships in two pieces with a puzzle-like joint. Easy to assemble.



PET Felt Privacy Screen



Desktop Short Partition



Floor Standing Tall Partition



A ACCESSORIES / POWER

OTG ACCESSORIES

MVLPDM 6.5 x 3.5 x 2.8 b 2 0.1 S268 power/Data Block Worksurface power and data module. Two power receptacles and two data receptacles. 9' cord. Worksurface cut-out r done on-site by installer to accept MVLPDM. Template for cut-out provided. Available in Black only. WVCOVSM2E 2.25 x 3.75 x 3.12 2.35 0.5 \$313 MVCOVSM2E 2.25 x 3.75 x 3.12 2.35 0.5 \$313 MVCOVSM2E 2.25 x 3.75 x 3.12 2.35 0.5 \$313 MVCOVSM2E 2.25 x 3.75 x 3.12 2.35 0.5 \$313 Inin Power Block Designed to retrofit into an existing grommet cut-out to bring power to the desktop. Fits in 3.27' x 1.9' cut-out (FOG, PO) mounts to 0.5' to 2' thick surface. Includes two 12A, 120 VAC spill resistant power receptacles. 9' power cord with 90'' plug with 45' rotation. ETL listed. Available in Black (B) or Silver (S) as indicated by last character of model number. MVCOVS1UB 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1UB 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1UB 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1UB 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1UB 2.25 x 3.75 x 3.12 2.35 0.5 <	POWER DATA	MODEL #	DIMENSIONS MM WxDxH	WEIGHT KG	VOLUME MT ³	LIST PRICE	
done on-site by installer to accept MVLPDM. Template for cut-out provided. Available in Black only. MVCOVSM28 2.25 x 3.75 x 3.12 2.35 0.5 \$313 MVCOVSM2S 2.25 x 3.75 x 3.12 2.35 0.5 \$313 MVCOVSM2S 2.25 x 3.75 x 3.12 2.35 0.5 \$313 mi Power Block Designed to retrofit into an existing grommet cut-out to bring power to the desktop. Fits in 3.27" x 1.9" cut-out (FOG, POI mounts to 0.5" to 2" thick surface. Includes two 12A, 120 VAC spill resistant power receptacles. 9' power cord with 90° plug with 45° rotation. ETL listed. Available in Black (B) or Silver (\$) as indicated by last character of model number. MVCOVS1UB 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1UB 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1US 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1US 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1US 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1US 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1US 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1US 2.25 x 3.75 x 3.12 2.35 0.5		MVLPDM	6.5 x 3.5 x 2.8			\$268	
MVCOVSM2S 2.25 x 3.75 x 3.12 2.35 0.5 \$313 ni Power Block Designed to retrofit into an existing grommet cut-out to bring power to the desktop. Fits in 3.27" x 1.9" cut-out (FOG, POU mounts to 0.5" to 2" thick surface. Includes two 12A, 120 VAC spill resistant power receptacles. 9" power cord with 90" plug with 45" rotation. ETL listed. Available in Black (B) or Silver (S) as indicated by last character of model number. MVCOVS1UB 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1UB 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1US 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1US 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1US 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1US 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1US 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1US 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1US 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1US 2.25 x 5.75 x 3.12 2.35 0.5 \$494 MVLDK1000 4.13 x 2.16 x 2.28 1.7 \$	wer/Data Block						cut-out m
mounts to 0.5" to 2" thick surface. Includes two 12A, 120 VAC spill resistant power receptacles. 9' power cord with 90° plug with 45° rotation. ETL listed. Available in Black (B) or Silver (S) as indicated by last character of model number. MVCOVS1UB 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1UB 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1UB 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1US 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1US 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1US 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1US 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1US 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1US 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1US 2.25 x 3.75 x 3.12 2.35 0.5 \$494 MVCOVS1US 0.5" to 2" thick surface. Includes one 12A, 120 VAC spill resistant power receptacle and two 2.14 (11W) U charging ports. 9' power cord with 90° flat plug with 45° rotation. ETL listed. Available in Black (B) or Silver (S) as indic Image: Im							
MVCOVS1US 2.25 x 3.75 x 3.12 2.35 0.5 \$494 ni Power/USB Block Designed to retrofit into an existing grommet cut-out to bring power to the desktop. Fits in 3.27" x 1.9" cut-out (FOG, POG and mounts to 0.5" to 2" thick surface. Includes one 12A, 120 VAC spill resistant power receptacle and two 2.1A (11W) L charging ports. 9' power cord with 90° flat plug with 45° rotation. ETL listed. Available in Black (B) or Silver (S) as indice by last character of model number. MVLDK1000 4.13 x 2.16 x 2.28 2.5 1.7 \$234 MVLDK1000 4.13 x 5.5 x 5.8 1.13 - Above surface or below surface mounted module with one power outlet and two 2.1 amp USB ports. Includes 10' power	ni Power Block	mounts to 0.5" to 2	2" thick surface. Includes tw	o 12A, 120 VAC s	pill resistant power	receptacles. 9' power cord	with 90°
and mounts to 0.5" to 2" thick surface. Includes one 12A, 120 VAC spill resistant power receptacle and two 2.1A (11W) L charging ports. 9' power cord with 90° flat plug with 45° rotation. ETL listed. Available in Black (B) or Silver (S) as indiced by last character of model number. MVLDK1000 4.13 x 2.16 x 2.28 2.5 1.7 \$234 105 x 55 x 58 1.13 - Above surface or below surface mounted module with one power outlet and two 2.1 amp USB ports. Includes 10' power							
Image: 105 x 55 x 58 1.13	سري ini Power/USB Block	and mounts to 0.5 charging ports. 9'	' to 2" thick surface. Include power cord with 90° flat plu	s one 12A, 120 V	AC spill resistant po	ower receptacle and two 2.1	A (11W) L
		MVLDK1000			1.7	\$234	
	rface Mounted Power Module			ule with one powe	er outlet and two 2.	1 amp USB ports. Includes 1	0' power d

