MVL monitor arms MVL keyboard supports Accessories Power and data

Accessories

M MONITOR ARMS / KEYBOARD SUPPORTS

OTG ACCESSORIES

IONITOR ARMS	MODEL #		WEIGHT KG	VOLUME <i>MT</i> [,]	LIST PRICE	
	MVL1SDEH	W x D x H 4.75 x 4.23-26 x 19.5 <i>121 x 107-660 x 495</i>	8 <i>3.63</i>	0.72 <i>0.02</i>	\$328	
ıgle Monitor Double Extension Height Adjustment	with standard VES Enclosed cable ma	A standards. Pole-less arm m	nonitor provides commodate monit	a clean design and t tors up to 14 lbs. At	ick connect option for mounting monito folds into a 4 ³/₀" area for more desk sp ttach to any standard 1" to 1.5" thick su	
	MVL2SDEH	22 x 5.95-26 x 17.5 559 x 151-660 x 445	9.4 <i>4.26</i>	1.57 0.04	\$451	
al Monitor Double Extension leight Adjustment /BOARD SUPPORTS	with standard VES Dual cross bar hold	A standards. Counterbalance Is monitors up to 22" in horizo uick and easy. Attach to any	d spring technolo ontal width each	ogy allows for 2 to 2 . Enclosed cable ma	k connect option for mounting monitor 10 lbs. load (max 10 lbs. per screen). anager. Tool-less clamp installation h flush edge by a desk clamp or through	
BUARD SUPPORTS	MVLKBT	20.6 x 12.5 x 4	4.78	0.42	\$164	
		523 x 318 x 102	2.17	0.01		
vboard Drawer	Palm rest/pen com	v friction ball bearing slides f partment. Keyboard platform epth clearance under the s	accommodates	standard and ergon	out mouse tray (mountable left or right) Iomic shaped keyboards.	
	MVLKP01	27.5 x 11.5 x 1 <i>699 x 292 x 25</i>	13.6 <i>6.17</i>	0.93 <i>0.02</i>	\$348	
iculating Keyboard Package	Low profile design		has a removable	e palm rest and incl	r simultaneous height and tilt adjustme udes a mouse fence with cable manage ace for installation.	
THE REAL PROPERTY AND A DECIMAL PROPERTY AND	MVL5230B0	35.4 x 23.2 x 6.2 899 x 589 x 157	47 21.32	4.8 <i>0.13</i>	\$1088	
sktop Sit-Stand Workstation	Easily fits onto a 24" or deeper worksurface. Supports up to 35 lbs. Keyboard surface tilts from -10°/+10°. Infinite pneumat height adjustment. Primary surface can be extended 20" above the desk. Black frame and surface. Comes with grommet fo cord management. No tools required for installation.					
	MVL5230B5	42 x 38 x 6.2 1067 x 965 x 157	55 24.95	9.3 <i>0.26</i>	\$1429	
www.com/sit-Stand Workstation			an be extended	20" above the desk	d surface tilts from -10°/+10°. Infinite . Black frame and surface. Comes with	

OTG ACCESSORIES

ACCESSORIES / POWER A

ACCESSORIES	MODEL #		WEIGHT KG	VOLUME ^{FT 3}	LIST PRICE	
	MVLCPU	W x D x H 4 x 11 x 1.5 102 x 279 x 38	4 1.81	0.39 <i>0.01</i>	\$156	
CPU Holder Dual Strap	simple installation.	' track and swivels to allow Accommodates CPU's wei he surface for installation.				
	MVLFR	15.7 x 13.7 x 5.1 <i>399 x 348 x 130</i>	3.7 1.68	0.52 <i>0.01</i>	\$133	
Four-Position Footrest	Folding support leg Available in Black v	s provide tilt angles of 6°, 1 vith Grey accents.	12 °, 16° and 25°.	Anti-fatigue rubbe	r surface. Platform surfa	ce of 15.7" x 10".
	MLDTP3224	31.5 x 15.5 x 23.5 800 x 394 x 597	7 3.18	0.5 0.01	\$243	
Desktop Short Partition		nding desktop partition. N ons. Folds flat for storage v				
	MLFSP3260	31.5 x 15.5 x 60 800 x 394 x 1524	13 5.9	1.2 0.03	\$729	
Floor Standing Tall Partition		nding floor partition. Move flat for storage when not in				
POWER / DATA						
	MVLPDM	6.5 x 3.5 x 2.8 <i>165 x 89 x 71</i>	2 0.91	0.1	\$254	
Power/Data Block		and data module. Two pov taller to accept MVLPDM.				ce cut-out must be
	MVCOVSM2B MVCOVSM2S	2.25 x 3.75 x 3.12 2.25 x 3.75 x 3.12	2.35 2.35	0.5 0.5	\$297 \$297	
Mini Power Block	mounts to 0.5" to 2	into an existing grommet of thick surface. Includes tw ion. ETL listed. Available i	vo 12A, 120 VAC s	pill resistant power	receptacles. 9' power c	ord with 90° flat

A ACCESSORIES / POWER

OTG ACCESSORIES

POWER DATA	MODEL #		WEIGHT KG		LIST PRICE	
		W x D x H				
	MVCOVS1UB	2.25 x 3.75 x 3.12	2.35	0.5	\$468	
	MVCOVS1US	2.25 x 3.75 x 3.12	2.35	0.5	\$468	

Mini Power/USB Block

Designed to retrofit into an existing grommet cut-out to bring power to the desktop. Fits in 3.27" x 1.9" cut-out (FOG, POG) and mounts to 0.5" to 2" thick surface. Includes one 12A, 120 VAC spill resistant power receptacle and two 2.1A (11W) USB charging ports. 9' power cord with 90° flat plug with 45° rotation. ETL listed. Available in Black (**B**) or Silver (**S**) as indicated by last character of model number.

	0 0
 lan	

MVLDK1000 4.13 x 2.16 x 2.28 2.5 1.7 \$222 105 x 55 x 58 1.13 -						
105 x 55 x 58 1.13 -	MVLDK1000	4.13 x 2.16 x 2.28	2.5	1.7	\$222	
		105 x 55 x 58	1.13	-		

Surface Mounted Power Module

Above surface or below surface mounted module with one power outlet and two 2.1 amp USB ports. Includes 10' power cord. Available in **Black** only.