MVL monitor arms
MVL keyboard supports
Accessories
Power and data

# Accessories

## M MONITOR ARMS / KEYBOARD SUPPORTS

### OTG ACCESSORIES



Single Monitor Double Extension w/Height Adjustment

MODEL#	DIMENSIONS IN MM	WEIGHT KG	VOLUME HT3	LIST PRICE	
	WxDxH				
MVL1SDEH	4.75 x 4.23-26 x 19.5	8	0.72	\$346	
	121 x 107-660 x 495	3.63	0.02		

Single monitor arm provides 26" of reach with 13" of usable height adjustment. Quick connect option for mounting monitor with standard VESA standards. Pole-less arm monitor provides a clean design and folds into a  $4^{3}/8$ " area for more desk space. Enclosed cable manager. 360° swivel. Can accommodate monitors up to 14 lbs. Attach to any standard 1" to 1.5" thick surface with flush edge by a desk clamp or through a grommet. Available in **Silver** only.

MVL2SDEH	22 x 5.95-26 x 17.5	9.4	1.57	\$476	
	559 x 151-660 x 445	4.26	0.04		



Dual Monitor Double Extension w/Height Adjustment

Dual monitor arm provides 26" of reach with 13" of usable height adjustment. Quick connect option for mounting monitor with standard VESA standards. Counterbalanced spring technology allows for 2 to 20 lbs. load (max 10 lbs. per screen). Dual cross bar holds monitors up to 22" in horizontal width each. Enclosed cable manager. Tool-less clamp installation makes assembly quick and easy. Attach to any standard 1" to 1.5" thick surface with flush edge by a desk clamp or through a grommet. Available in **Silver** only.

OTGMA2	30 x 4.5-26 x 20	8.4	0.6	\$269	
	762 x 114-660 x 508	3.81	0.01		



**Monitor Arm** 

Can be used a single or double monitor arm. Height adjustment range: 7" - 17.7". Arm extension: 15". Loading capacity: 2.2 - 17.6 lbs per monitor. Accommodates: 17 - 29" monitor sizes. Monitor tile: -40 degrees upward tilt, -15 degrees downward tilt, 180-degree rotation. Quick release VESA plates included (72 x 72mm, 100 x 100mm). VESA rotation: 90 degrees for landscape or portrait. Meets applicable ANSI/BIFMA X5.5. Desk clamp and grommet mounts included (0.5 - 1.25" thick tops). Integrated post and arm management. Available in Tungsten only.

KEYBOARD SUPPORTS
-------------------




Kev	/boa	ard	Dr	aw	er

MVLKBT	20.6 x 12.5 x 4	4.78	0.42	\$173	
	523 x 318 x 102	2.17	0.01		

Mounts on two low friction ball bearing slides for storage below workstation. Pull-out mouse tray (mountable left or right). Palm rest/pen compartment. Keyboard platform accommodates standard and ergonomic shaped keyboards.

Requires 17" of depth clearance under the surface for installation.



**Articulating Keyboard Package** 

MVLKP01	27.5 x 11.5 x 0.38	13.6	0.93	\$369	
	699 x 292 x 10	6.17	0.02		

Package includes articulating arm and 27" HDPE tray. Arm has a 8.37" height and 30° tilt adjustment. Low profile design with 360° swivel. HDPE tray is 0.38" thick and has a removable wrist rest. Tray comes with anti-slip strips.

4.8

Requires 18" of depth clearance under the surface for installation.

35.4 x 23.2 x 6.2

MVI 5230B0



**Desktop Sit-Stand Workstation** 

899 x 589 x 157	21.32	0.13

Easily fits onto a 24" or deeper worksurface. Supports up to 35 lbs. Keyboard surface tilts from -10°/+10°. Infinite pneumatic height adjustment. Primary surface can be extended 20" above the desk. Black frame and surface. Comes with grommet for cord management. No tools required for installation.

\$1148



Corner Desktop Sit-Stand Works	etation

MODEL#	DIMENSIONS IN MM	WEIGHT $_{KG}^{LB}$	VOLUME HT's	LIST PRICE	
	WxDxH				
MVL5230B5	42 x 38 x 6.2 1067 x 965 x 157	55 <i>24.95</i>	9.3 <i>0.26</i>	\$1508	

Easily fits onto a 24" or deeper corner worksurface. Supports up to 35 lbs. Keyboard surface tilts from -10°/+10°. Infinite pneumatic height adjustment. Primary surface can be extended 20" above the desk. Black frame and surface. Comes with grommet for cord management. No tools required for installation.


#### **ACCESSORIES**



**CPU Holder Dual Strap** 

MVLCPU	4 x 11 x 1.5	4	0.39	\$165	
	102 x 279 x 38	1.81	0.01		

CPU slides on a 17" track and swivels to allow full accessibility and easy storage. Straps adjust and fasten with buckles for simple installation. Accommodates CPU's weighing up to 30 lbs. and measuring 64" in perimeter. **Requires 17" of depth clearance** under the surface for installation.



**Fabric Privacy Panel - Upmount** 

24 x 0.5 x 13.25	2.6	0.4	\$458	
610 x 13 x 337	1.18	0.01		
30 x 0.5 x 13.25	3	0.5	\$460	
762 x 13 x 337	1.36	0.01		
36 x 0.5 x 13.25	3.6	0.6	\$494	
914 x 13 x 337	1.63	0.01		
42 x 0.5 x 13.25	4.2	0.7	\$529	
1067 x 13 x 337	1.91	0.01		
48 x 0.5 x 13.25	4.8	0.8	\$530	
1219 x 13 x 337	2.18	0.02		
54 x 0.5 x 13.25	5.4	0.9	\$565	
1372 x 13 x 337	2.45	0.02		
60 x 0.5 x 13.25	6	1	\$759	
1524 x 13 x 337	2.72	0.02		
66 x 0.5 x 13.25	6.6	1.1	\$785	
1676 x 13 x 337	2.99	0.03		
	610 x 13 x 337 30 x 0.5 x 13.25 762 x 13 x 337 36 x 0.5 x 13.25 914 x 13 x 337 42 x 0.5 x 13.25 1067 x 13 x 337 48 x 0.5 x 13.25 1219 x 13 x 337 54 x 0.5 x 13.25 1372 x 13 x 337 60 x 0.5 x 13.25 1524 x 13 x 337 66 x 0.5 x 13.25	610 x 13 x 337 1.18 30 x 0.5 x 13.25 3 762 x 13 x 337 1.36 36 x 0.5 x 13.25 3.6 914 x 13 x 337 1.63 42 x 0.5 x 13.25 4.2 1067 x 13 x 337 1.91 48 x 0.5 x 13.25 4.8 1219 x 13 x 337 2.18 54 x 0.5 x 13.25 5.4 1372 x 13 x 337 2.45 60 x 0.5 x 13.25 6 1524 x 13 x 337 2.72 66 x 0.5 x 13.25 6.6	610 x 13 x 337 1.18 0.01 30 x 0.5 x 13.25 3 0.5 762 x 13 x 337 1.36 0.01 36 x 0.5 x 13.25 3.6 0.6 914 x 13 x 337 1.63 0.01 42 x 0.5 x 13.25 4.2 0.7 1067 x 13 x 337 1.91 0.01 48 x 0.5 x 13.25 4.8 0.8 1219 x 13 x 337 2.18 0.02 54 x 0.5 x 13.25 5.4 0.9 1372 x 13 x 337 2.45 0.02 60 x 0.5 x 13.25 6 1 1524 x 13 x 337 2.72 0.02 66 x 0.5 x 13.25 6.6 1.1	610 x 13 x 337 1.18 0.01  30 x 0.5 x 13.25 3 0.5 \$460  762 x 13 x 337 1.36 0.01  36 x 0.5 x 13.25 3.6 0.6 \$494  914 x 13 x 337 1.63 0.01  42 x 0.5 x 13.25 4.2 0.7 \$529  1067 x 13 x 337 1.91 0.01  48 x 0.5 x 13.25 4.8 0.8 \$530  1219 x 13 x 337 2.18 0.02  54 x 0.5 x 13.25 5.4 0.9 \$565  1372 x 13 x 337 2.45 0.02  60 x 0.5 x 13.25 6 1 \$759  1524 x 13 x 337 2.72 0.02  66 x 0.5 x 13.25 6.6 1.1 \$785

Mounts to a 1" or  $1^{1}/_{16}$ " thick worksurface. Mounting brackets included. If using a privacy panel with a monitor arm, the mounting style of the arm should be grommet mount or freestanding. These privacy panels cannot be used with edge clamp style monitor arms. Not for use with lonic benching kits. Shipped easy to assemble in 1 carton.





**Fabric Privacy Panel - Undermount** 

ML1324UMF	24 x 0.5 x 13.25	2.6	0.4	\$458	
	610 x 13 x 337	1.18	0.01		
ML1330UMF	30 x 0.5 x 13.25	3	0.5	\$460	
	762 x 13 x 337	1.36	0.01		
ML1336UMF	36 x 0.5 x 13.25	3.6	0.6	\$494	
	914 x 13 x 337	1.63	0.01		
ML1342UMF	42 x 0.5 x 13.25	4.2	0.7	\$529	
	1067 x 13 x 337	1.91	0.01		
ML1348UMF	48 x 0.5 x 13.25	4.8	0.8	\$530	
	1219 x 13 x 337	2.18	0.02		
ML1354UMF	54 x 0.5 x 13.25	5.4	0.9	\$565	
	1372 x 13 x 337	2.45	0.02		
ML1360UMF	60 x 0.5 x 13.25	6	1	\$759	
	1524 x 13 x 337	2.72	0.02		
ML1366UMF	66 x 0.5 x 13.25	6.6	1.1	\$785	
	1676 x 13 x 337	2.99	0.03		

Mounts to a 1" or 1  $^{1}$ /16" thick worksurface. Mounting brackets included. To add privacy panels to lonic benching kits (pages 106-106), use undermount privacy panels with adapter brackets MVLPPABx (page 109). If using a privacy panel with a monitor arm, the mounting style of the arm should be grommet mount or freestanding. These privacy panels cannot be used with edge clamp style monitor arms. Shipped easy to assemble in 1 carton.


ACCESSORIES

٠	
ما	0

**PET Felt Privacy Screen** 



**Desktop Short Partition** 



Floor Standing Tall Partition

MODEL#	DIMENSIONS	WEIGHT	VOLUME	LIST PRICE
	WxDxH			
Set of 1				
MVLPET42-1	42 x 0.36 x 13.25	2.6	0.8	\$294
	1067 x 9 x 337	1.18	0.02	
MVLPET48-1	48 x 0.36 x 13.25	3.3	0.9	\$309
	1219 x 9 x 337	1.5	0.02	
MVLPET54-1	54 x 0.36 x 13.25	3.6	1	\$396
	1372 x 9 x 337	1.63	0.02	
MVLPET60-1	60 x 0.36 x 13.25	3.8	1.1	\$409
	1524 x 9 x 337	1.72	0.03	
MVLPET66-1	66 x 0.36 x 13.25	4.5	1.3	\$482
	1676 x 9 x 337	2.04	0.03	
Set of 4				
MVLPET42-4	42 x 0.36 x 13.25	9.5	0.8	\$1123
	1067 x 9 x 337	4.31	0.02	
MVLPET48-4	48 x 0.36 x 13.25	11.9	1	\$1175
	1219 x 9 x 337	5.4	0.02	
MVLPET54-4	54 x 0.36 x 13.25	12.8	1.1	\$1517
	1372 x 9 x 337	5.81	0.03	
MVLPET60-4	60 x 0.36 x 13.25	13.8	1.2	\$1561
	1524 x 9 x 337	6.26	0.03	
MVLPET66-4	66 x 0.36 x 13.25	16.2	1.3	\$1840
	1676 x 9 x 337	7.35	0.03	

Mounts to 1" thick laminate surface, may be installed as undermount or up mount position. Mounting brackets included. Secured with wood screws, will mar the top surface when installed in upmount position. If using a privacy panel with a monitor arm, the mounting style of the arm should be grommet mount or freestanding. These privacy panels cannot be used with edge clamp style monitor arms. Shipped easy to assemble in 1 carton.

MI DTP3224	31 5 x 15 5 x 23 5	7	0.5	\$256	
1112511 022 1	800 x 394 x 597	3.18	0.01	4200	

Lightweight freestanding desktop partition. Move wherever you need to provide a focus space. 9mm thick PET Felt, no hardware connections. Folds flat for storage when not in use. Ships in two pieces with a puzzle-like joint. Easy to assemble.

MLFSP3260	31.5 x 15.5 x 60	13	1.2	\$769	
	800 x 394 x 1524	5.9	0.03		

Lightweight freestanding floor partition. Move wherever you need to provide a focus space. 9mm thick PET Felt, no hardware connections. Folds flat for storage when not in use. Ships in two pieces with a puzzle-like joint. Easy to assemble.

## **ACCESSORIES / POWER A**

LIST PRICE

\$268

POWER DATA	MODEL#	DIMENSIONS IN MM	WEIGHT $_{KG}^{LB}$	VOLUME
		WxDxH		
	MVLPDM	6.5 x 3.5 x 2.8 165 x 89 x 71	2 0.91	0.1
		100 x 00 x 7 7	0.51	

Power/Data Block

Worksurface power and data module. Two power receptacles and two data receptacles. 9' cord. Worksurface cut-out must be done on-site by installer to accept MVLPDM. Template for cut-out provided. Available in **Black** only.

MVCOVSM2B	2.25 x 3.75 x 3.12	2.35	0.5	\$313
MVCOVSM2S	2.25 x 3.75 x 3.12	2.35	0.5	\$313

Designed to retrofit into an existing grommet cut-out to bring power to the desktop. Fits in 3.27" x 1.9" cut-out (FOG, POG) and mounts to 0.5" to 2" thick surface. Includes two 12A, 120 VAC spill resistant power receptacles. 9' power cord with 90° flat plug with 45° rotation. ETL listed. Available in Black (**B**) or Silver (**S**) as indicated by last character of model number.

MVCOVS1UB	2.25 x 3.75 x 3.12	2.35	0.5	\$494
MVCOVS1US	2.25 x 3.75 x 3.12	2.35	0.5	\$494

Designed to retrofit into an existing grommet cut-out to bring power to the desktop. Fits in 3.27" x 1.9" cut-out (FOG, POG) and mounts to 0.5" to 2" thick surface. Includes one 12A, 120 VAC spill resistant power receptacle and two 2.1A (11W) USB charging ports. 9' power cord with  $90^{\circ}$  flat plug with  $45^{\circ}$  rotation. ETL listed. Available in Black (**B**) or Silver (**S**) as indicated by last character of model number.

MVLDK1000	4.13 x 2.16 x 2.28	2.5	1.7	\$234	
	105 x 55 x 58	1.13	-		

Above surface or below surface mounted module with one power outlet and two 2.1 amp USB ports. Includes 10' power cord. Available in **Black** only.

<		7
ı	١	

**Mini Power Block** 



Mini Power/USB Block



**Surface Mounted Power Module**