MVL monitor arms MVL keyboard supports Accessories Power and data

Accessories

M MONITOR ARMS / KEYBOARD SUPPORTS

OTG ACCESSORIES

NITOR ARMS	MODEL #			VOLUME MT'	LIST PRICE	
	MVL1SDEH	W x D x H 4.75 x 4.23-26 x 19.5 121 x 107-660 x 495	8 <i>3.63</i>	0.72 <i>0.02</i>	\$346	
gle Monitor Double Extension leight Adjustment	with standard VES Enclosed cable ma	n provides 26″ of reach with 1 SA standards. Pole-less arm m anager. 360° swivel. Can acco / a desk clamp or through a gro	onitor provides a ommodate monit	ors up to 14 lbs. A	folds into a 4 ³/8″ area for n	nore desk
	MVL2SDEH	22 x 5.95-26 x 17.5 559 x 151-660 x 445	9.4 <i>4.26</i>	1.57 0.04	\$476	
Il Monitor Double Extension leight Adjustment	with standard VES Dual cross bar hol	provides 26″ of reach with 13′ SA standards. Counterbalanced Ids monitors up to 22″ in horizo quick and easy. Attach to any s le in Silver only.	l spring technolo ntal width each.	gy allows for 2 to 2 Enclosed cable ma	20 lbs. load (max 10 lbs. pe anager. Tool-less clamp in:	r screen). stallation
/BOARD SUPPORTS	MVLKBT	20.6 x 12.5 x 4 <i>523 x 318 x 102</i>	4.78 <i>2.17</i>	0.42 <i>0.01</i>	\$173	
board Drawer	Palm rest/pen con	w friction ball bearing slides fo npartment. Keyboard platform depth clearance under the so	accommodates	standard and ergor		left or rig
board Drawer	Palm rest/pen con	npartment. Keyboard platform	accommodates	standard and ergor		left or rig
	Palm rest/pen con Requires 17" of o MVLKP01 Package includes 360° swivel. HDP	npartment. Keyboard platform depth clearance under the su 27.5 x 11.5 x 0.38	accommodates urface for installa 13.6 <i>6.17</i> tray. Arm has a removable wrist	standard and ergor ation. 0.93 0.02 6" height and 30"" rest. Tray comes v	iomic shaped keyboards. \$369 tilt adjustment. Low profi	
board Drawer	Palm rest/pen con Requires 17" of o MVLKP01 Package includes 360° swivel. HDP	npartment. Keyboard platform depth clearance under the su 27.5 x 11.5 x 0.38 699 x 292 x 10 articulating arm and 27" HDPE 'E tray is 0.38" thick and has a	accommodates urface for installa 13.6 <i>6.17</i> tray. Arm has a removable wrist	standard and ergor ation. 0.93 0.02 6" height and 30"" rest. Tray comes v	iomic shaped keyboards. \$369 tilt adjustment. Low profi	
	Palm rest/pen con Requires 17" of a MVLKP01 Package includes 360° swivel. HDP Requires 18" of a MVL5230B0 Easily fits onto a 2 height adjustment	npartment. Keyboard platform depth clearance under the su 27.5 x 11.5 x 0.38 699 x 292 x 10 articulating arm and 27" HDPE Te tray is 0.38" thick and has a depth clearance under the su 35.4 x 23.2 x 6.2	accommodates urface for installa 13.6 <i>6.17</i> tray. Arm has a removable wrist urface for installa 47 <i>21.32</i> pports up to 35 II aded 20" above t	standard and ergor ation. 0.93 0.02 6" height and 30"" rest. Tray comes v ation. 4.8 0.13 os. Keyboard surfa	tilt adjustment. Low profivith anti-slip strips. \$1148 ce tilts from -10°/+10°. In	le design finite pneu
culating Keyboard Package	Palm rest/pen con Requires 17" of a MVLKP01 Package includes 360° swivel. HDP Requires 18" of a MVL5230B0 Easily fits onto a 2 height adjustment	npartment. Keyboard platform depth clearance under the su 27.5 x 11.5 x 0.38 699 x 292 x 10 articulating arm and 27" HDPE 27" tray is 0.38" thick and has a depth clearance under the su 35.4 x 23.2 x 6.2 899 x 589 x 157 24" or deeper worksurface. Su t. Primary surface can be external	accommodates urface for installa 13.6 <i>6.17</i> tray. Arm has a removable wrist urface for installa 47 <i>21.32</i> pports up to 35 II aded 20" above t	standard and ergor ation. 0.93 0.02 6" height and 30"" rest. Tray comes v ation. 4.8 0.13 os. Keyboard surfa	tilt adjustment. Low profivith anti-slip strips. \$1148 ce tilts from -10°/+10°. In	le design finite pneu


OTG ACCESSORIES

ACCESSORIES / POWER A

) U

ACCESSORIES

CPU Holder Dual Strap



Fabric Privacy Panel - Upmount



Fabric Privacy Panel - Undermount

MODEL #		WEIGHT KG		LIST PRICE	
	W x D x H				
MVLCPU	4 x 11 x 1.5	4	0.39	\$165	
	102 x 279 x 38	1.81	0.01		

CPU slides on a 17" track and swivels to allow full accessibility and easy storage. Straps adjust and fasten with buckles for simple installation. Accommodates CPU's weighing up to 30 lbs. and measuring 64" in perimeter. **Requires 17" of depth clearance** under the surface for installation.

ML1324DMF	24 x 0.5 x 13.25	2.6	0.4	\$458	
	610 x 13 x 337	1.18	0.01	¢ loo	
ML1330DMF	30 x 0.5 x 13.25	3	0.5	\$460	
	762 x 13 x 337	1.36	0.01		
ML1336DMF	36 x 0.5 x 13.25	3.6	0.6	\$494	
	914 x 13 x 337	1.63	0.01		
ML1342DMF	42 x 0.5 x 13.25	4.2	0.7	\$529	
	1067 x 13 x 337	1.91	0.01		
ML1348DMF	48 x 0.5 x 13.25	4.8	0.8	\$530	
	1219 x 13 x 337	2.18	0.02		
ML1354DMF	54 x 0.5 x 13.25	5.4	0.9	\$565	
	1372 x 13 x 337	2.45	0.02		
ML1360DMF	60 x 0.5 x 13.25	6	1	\$759	
	1524 x 13 x 337	2.72	0.02		
ML1366DMF	66 x 0.5 x 13.25	6.6	1.1	\$785	
	1676 x 13 x 337	2.99	0.03		

Mounts to a 1" or 1 $^{1}/_{16}$ " thick worksurface. Mounting brackets included. If using a privacy panel with a monitor arm, the mounting style of the arm should be grommet mount or freestanding. These privacy panels cannot be used with edge clamp style monitor arms. Not for use with lonic benching kits. Shipped easy to assemble in 1 carton.

ML1324UMF	24 x 0.5 x 13.25	2.6	0.4	\$458
	610 x 13 x 337	1.18	0.01	
ML1330UMF	30 x 0.5 x 13.25	3	0.5	\$460
	762 x 13 x 337	1.36	0.01	
ML1336UMF	36 x 0.5 x 13.25	3.6	0.6	\$494
	914 x 13 x 337	1.63	0.01	
ML1342UMF	42 x 0.5 x 13.25	4.2	0.7	\$529
	1067 x 13 x 337	1.91	0.01	
ML1348UMF	48 x 0.5 x 13.25	4.8	0.8	\$530
	1219 x 13 x 337	2.18	0.02	
ML1354UMF	54 x 0.5 x 13.25	5.4	0.9	\$565
	1372 x 13 x 337	2.45	0.02	
ML1360UMF	60 x 0.5 x 13.25	6	1	\$759
	1524 x 13 x 337	2.72	0.02	
ML1366UMF	66 x 0.5 x 13.25	6.6	1.1	\$785
	1676 x 13 x 337	2.99	0.03	

Mounts to a 1" or $1 \frac{1}{16}$ " thick worksurface. Mounting brackets included. To add privacy panels to lonic benching kits (pages 102-102), use undermount privacy panels with adapter brackets MVLPPABx (page 105). If using a privacy panel with a monitor arm, the mounting style of the arm should be grommet mount or freestanding. These privacy panels cannot be used with edge clamp style monitor arms. Shipped easy to assemble in 1 carton.



A ACCESSORIES / POWER

ACCESSORIES

OTG ACCESSORIES

LIST PRICE

\$294 \$309 \$396 \$409 \$482

\$1123 \$1175 \$1517 \$1561 \$1840

	IVIVLI LI4Z-I	42 X 0.30 X 13.23	2.0	0.0	
		1067 x 9 x 337	1.18	0.02	
	MVLPET48-1	48 x 0.36 x 13.25	3.3	0.9	
		1219 x 9 x 337	1.5	0.02	
	MVLPET54-1	54 x 0.36 x 13.25	3.6	1	
		1372 x 9 x 337	1.63	0.02	
	MVLPET60-1	60 x 0.36 x 13.25	3.8	1.1	
		1524 x 9 x 337	1.72	0.03	
	MVLPET66-1	66 x 0.36 x 13.25	4.5	1.3	
		1676 x 9 x 337	2.04	0.03	
	Set of 4				
	MVLPET42-4	42 x 0.36 x 13.25	9.5	0.8	
		1067 x 9 x 337	4.31	0.02	
	MVLPET48-4	48 x 0.36 x 13.25	11.9	1	
		1219 x 9 x 337	5.4	0.02	
1	MVLPET54-4	54 x 0.36 x 13.25	12.8	1.1	
		1372 x 9 x 337	5.81	0.03	
	MVLPET60-4	60 x 0.36 x 13.25	13.8	1.2	
		1524 x 9 x 337	6.26	0.03	
	MVLPET66-4	66 x 0.36 x 13.25	16.2	1.3	
		1676 x 9 x 337	7.35	0.03	

DIMENSIONS

WxDxH

42 x 0 36 x 13 25

MODEL #

Set of 1 MVI PFT42-1

Mounts to 1" thick laminate surface, may be installed as undermount or up mount position. Mounting brackets included. Secured with wood screws, will mar the top surface when installed in upmount position. If using a privacy panel with a monitor arm, the mounting style of the arm should be grommet mount or freestanding. These privacy panels cannot be used with edge clamp style monitor arms. Shipped easy to assemble in 1 carton.

MLDTP3224	31.5 x 15.5 x 23.5	7	0.5	\$256	
	800 x 394 x 597	3.18	0.01		

Lightweight freestanding desktop partition. Move wherever you need to provide a focus space. 9mm thick PET Felt, no hardware connections. Folds flat for storage when not in use. Ships in two pieces with a puzzle-like joint. Easy to assemble.

VOLUME

0.8


WEIGHT

26

MLFSP3260	31.5 x 15.5 x 60	13	1.2	\$769	
	800 x 394 x 1524	5.9	0.03		

Lightweight freestanding floor partition. Move wherever you need to provide a focus space. 9mm thick PET Felt, no hardware connections. Folds flat for storage when not in use. Ships in two pieces with a puzzle-like joint. Easy to assemble.






PET Felt Privacy Screen



Desktop Short Partition



Floor Standing Tall Partition

OTG ACCESSORIES

ACCESSORIES / POWER A

POWER DATA	MODEL #		WEIGHT KG	VOLUME ^{FT 3}	LIST PRICE	
	MVLPDM	W x D x H 6.5 x 3.5 x 2.8 <i>165 x 89 x 71</i>	2 0.91	0.1	\$268	
Power/Data Block		er and data module. Two por staller to accept MVLPDM.			cles. 9' cord. Worksurface c ble in Black only.	ut-out must be
	MVCOVSM2B MVCOVSM2S	2.25 x 3.75 x 3.12 2.25 x 3.75 x 3.12	2.35 2.35	0.5 0.5	\$313 \$313	
Mini Power Block	mounts to 0.5" to 2	2" thick surface. Includes tw	/o 12A, 120 VAC s	pill resistant power	Fits in 3.27" x 1.9" cut-out (f receptacles. 9' power cord v y last character of model nur	with 90° flat
	MVCOVS1UB MVCOVS1US	2.25 x 3.75 x 3.12 2.25 x 3.75 x 3.12	2.35 2.35	0.5 0.5	\$494 \$494	
اللي Mini Power/USB Block	and mounts to 0.5	to 2" thick surface. Include power cord with 90° flat plu	es one 12A, 120 V	AC spill resistant pov	Fits in 3.27" x 1.9" cut-out (F wer receptacle and two 2.1A able in Black (B) or Silver (S	(11W) USB
	MVLDK1000	4.13 x 2.16 x 2.28 <i>105 x 55 x 58</i>	2.5 1.13	1.7 -	\$234	
Surface Mounted Power Module	Above surface or b Available in Blacl		ule with one powe	er outlet and two 2.1	amp USB ports. Includes 10	l' power cord.



	0 0
	$ \mathbf{I} $

officestogo.com | canadien

