

MVL monitor arms  
MVL keyboard supports  
Accessories  
Power and data

# Accessories

## MONITOR ARMS

## MODEL #

## DIMENSIONS

IN

MM

## WEIGHT

LB


KG

## VOLUME

FT<sup>3</sup>MT<sup>3</sup>

## LIST PRICE

## W x D x H


Single Monitor Double Extension  
w/Height Adjustment

MVL1SDEH

4.75 x 4.23-26 x 19.5  
121 x 107-660 x 4958  
3.630.72  
0.02

\$346

Single monitor arm provides 26" of reach with 13" of usable height adjustment. Quick connect option for mounting monitor with standard VESA standards. Pole-less arm monitor provides a clean design and folds into a 4 3/8" area for more desk space. Enclosed cable manager. 360° swivel. Can accommodate monitors up to 14 lbs. Attach to any standard 1" to 1.5" thick surface with flush edge by a desk clamp or through a grommet. Available in **Silver** only.

Dual Monitor Double Extension  
w/Height Adjustment

MVL2SDEH

22 x 5.95-26 x 17.5  
559 x 151-660 x 4459.4  
4.261.57  
0.04

\$476

Dual monitor arm provides 26" of reach with 13" of usable height adjustment. Quick connect option for mounting monitor with standard VESA standards. Counterbalanced spring technology allows for 2 to 20 lbs. load (max 10 lbs. per screen). Dual cross bar holds monitors up to 22" in horizontal width each. Enclosed cable manager. Tool-less clamp installation makes assembly quick and easy. Attach to any standard 1" to 1.5" thick surface with flush edge by a desk clamp or through a grommet. Available in **Silver** only.



Monitor Arm


OTGMA2

30 x 4.5-26 x 20  
762 x 114-660 x 5088.4  
3.810.6  
0.01

\$269

Can be used a single or double monitor arm. Height adjustment range: 7" - 17.7". Arm extension: 15". Loading capacity: 2.2 - 17.6 lbs per monitor. Accommodates: 17 - 29" monitor sizes. Monitor tilt: -40 degrees upward tilt, -15 degrees downward tilt, 180-degree rotation. Quick release VESA plates included (72 x 72mm, 100 x 100mm). VESA rotation: 90 degrees for landscape or portrait. Meets applicable ANSI/BIFMA X5.5. Desk clamp and grommet mounts included (0.5 - 1.25" thick tops). Integrated post and arm management. Available in Tungsten only.

## KEYBOARD SUPPORTS




Keyboard Drawer

MVLKBT

20.6 x 12.5 x 4  
523 x 318 x 1024.78  
2.170.42  
0.01

\$173

Mounts on two low friction ball bearing slides for storage below workstation. Pull-out mouse tray (mountable left or right). Palm rest/pen compartment. Keyboard platform accommodates standard and ergonomic shaped keyboards. **Requires 17" of depth clearance** under the surface for installation.




Articulating Keyboard Package

MVLKP01

27.5 x 11.5 x 0.38  
699 x 292 x 1013.6  
6.170.93  
0.02

\$369

Package includes articulating arm and 27" HDPE tray. Arm has a 8.37" height and 30° tilt adjustment. Low profile design with 360° swivel. HDPE tray is 0.38" thick and has a removable wrist rest. Tray comes with anti-slip strips. **Requires 18" of depth clearance** under the surface for installation.




Desktop Sit-Stand Workstation

MVL5230B0

35.4 x 23.2 x 6.2  
899 x 589 x 15747  
21.324.8  
0.13

\$1148


Easily fits onto a 24" or deeper worksurface. Supports up to 35 lbs. Keyboard surface tilts from -10°/+10°. Infinite pneumatic height adjustment. Primary surface can be extended 20" above the desk. Black frame and surface. Comes with grommet for cord management. No tools required for installation.

KEYBOARD SUPPORTS	MODEL #	DIMENSIONS <sup>IN</sup> <sup>MM</sup>	WEIGHT <sup>LB</sup> <sup>KG</sup>	VOLUME <sup>FT<sup>3</sup></sup> <sup>MT<sup>3</sup></sup>	LIST PRICE
		<b>W x D x H</b>			
	MVL5230B5	42 x 38 x 6.2	55	9.3	<b>\$1508</b>
		1067 x 965 x 157	24.95	0.26	

## Corner Desktop Sit-Stand Workstation

Easily fits onto a 24" or deeper corner worksurface. Supports up to 35 lbs. Keyboard surface tilts from -10°/+10°. Infinite pneumatic height adjustment. Primary surface can be extended 20" above the desk. Black frame and surface. Comes with grommet for cord management. No tools required for installation.


## ACCESSORIES



## CPU Holder Dual Strap

MVLCPU	4 x 11 x 1.5	4	0.39	<b>\$165</b>
	102 x 279 x 38	1.81	0.01	


CPU slides on a 17" track and swivels to allow full accessibility and easy storage. Straps adjust and fasten with buckles for simple installation. Accommodates CPU's weighing up to 30 lbs. and measuring 64" in perimeter. **Requires 17" of depth clearance** under the surface for installation.



## Fabric Privacy Panel - Upmount

ML1324DMF	24 x 0.5 x 13.25	2.6	0.4	<b>\$458</b>
	610 x 13 x 337	1.18	0.01	
ML1330DMF	30 x 0.5 x 13.25	3	0.5	<b>\$460</b>
	762 x 13 x 337	1.36	0.01	
ML1336DMF	36 x 0.5 x 13.25	3.6	0.6	<b>\$494</b>
	914 x 13 x 337	1.63	0.01	
ML1342DMF	42 x 0.5 x 13.25	4.2	0.7	<b>\$529</b>
	1067 x 13 x 337	1.91	0.01	
ML1348DMF	48 x 0.5 x 13.25	4.8	0.8	<b>\$530</b>
	1219 x 13 x 337	2.18	0.02	
ML1354DMF	54 x 0.5 x 13.25	5.4	0.9	<b>\$565</b>
	1372 x 13 x 337	2.45	0.02	
ML1360DMF	60 x 0.5 x 13.25	6	1	<b>\$759</b>
	1524 x 13 x 337	2.72	0.02	
ML1366DMF	66 x 0.5 x 13.25	6.6	1.1	<b>\$785</b>
	1676 x 13 x 337	2.99	0.03	

Mounts to a 1" or 1 1/16" thick worksurface. Mounting brackets included. If using a privacy panel with a monitor arm, the mounting style of the arm should be grommet mount or freestanding. These privacy panels cannot be used with edge clamp style monitor arms. Not for use with Ionic benching kits. Shipped easy to assemble in 1 carton.



## Fabric Privacy Panel - Undermount

ML1324UMF	24 x 0.5 x 13.25	2.6	0.4	<b>\$458</b>
	610 x 13 x 337	1.18	0.01	
ML1330UMF	30 x 0.5 x 13.25	3	0.5	<b>\$460</b>
	762 x 13 x 337	1.36	0.01	
ML1336UMF	36 x 0.5 x 13.25	3.6	0.6	<b>\$494</b>
	914 x 13 x 337	1.63	0.01	
ML1342UMF	42 x 0.5 x 13.25	4.2	0.7	<b>\$529</b>
	1067 x 13 x 337	1.91	0.01	
ML1348UMF	48 x 0.5 x 13.25	4.8	0.8	<b>\$530</b>
	1219 x 13 x 337	2.18	0.02	
ML1354UMF	54 x 0.5 x 13.25	5.4	0.9	<b>\$565</b>
	1372 x 13 x 337	2.45	0.02	
ML1360UMF	60 x 0.5 x 13.25	6	1	<b>\$759</b>
	1524 x 13 x 337	2.72	0.02	
ML1366UMF	66 x 0.5 x 13.25	6.6	1.1	<b>\$785</b>
	1676 x 13 x 337	2.99	0.03	

Mounts to a 1" or 1 1/16" thick worksurface. Mounting brackets included. To add privacy panels to Ionic benching kits (pages 110-110), use undermount privacy panels with adapter brackets MVLPPABx (page 113). If using a privacy panel with a monitor arm, the mounting style of the arm should be grommet mount or freestanding. These privacy panels cannot be used with edge clamp style monitor arms. Shipped easy to assemble in 1 carton.

ACCESSORIES	MODEL #	DIMENSIONS	WEIGHT	VOLUME	LIST PRICE
-------------	---------	------------	--------	--------	------------

W x D x H


Set of 1

MVLPET42-1	42 x 0.36 x 13.25 1067 x 9 x 337	2.6 1.18	0.8 0.02	\$294
MVLPET48-1	48 x 0.36 x 13.25 1219 x 9 x 337	3.3 1.5	0.9 0.02	\$309
MVLPET54-1	54 x 0.36 x 13.25 1372 x 9 x 337	3.6 1.63	1 0.02	\$396
MVLPET60-1	60 x 0.36 x 13.25 1524 x 9 x 337	3.8 1.72	1.1 0.03	\$409
MVLPET66-1	66 x 0.36 x 13.25 1676 x 9 x 337	4.5 2.04	1.3 0.03	\$482


Set of 4

MVLPET42-4	42 x 0.36 x 13.25 1067 x 9 x 337	9.5 4.31	0.8 0.02	\$1123
MVLPET48-4	48 x 0.36 x 13.25 1219 x 9 x 337	11.9 5.4	1 0.02	\$1175
MVLPET54-4	54 x 0.36 x 13.25 1372 x 9 x 337	12.8 5.81	1.1 0.03	\$1517
MVLPET60-4	60 x 0.36 x 13.25 1524 x 9 x 337	13.8 6.26	1.2 0.03	\$1561
MVLPET66-4	66 x 0.36 x 13.25 1676 x 9 x 337	16.2 7.35	1.3 0.03	\$1840


Mounts to 1" thick laminate surface, may be installed as undermount or up mount position. Mounting brackets included. Secured with wood screws, will mar the top surface when installed in upmount position. If using a privacy panel with a monitor arm, the mounting style of the arm should be grommet mount or freestanding. These privacy panels cannot be used with edge clamp style monitor arms. Shipped easy to assemble in 1 carton.



PET Felt Privacy Screen



Desktop Short Partition







Floor Standing Tall Partition

MLDTP3224	31.5 x 15.5 x 23.5 800 x 394 x 597	7 3.18	0.5 0.01	\$256
-----------	---------------------------------------	-----------	-------------	-------

Lightweight freestanding desktop partition. Move wherever you need to provide a focus space. 9mm thick PET Felt, no hardware connections. Folds flat for storage when not in use. Ships in two pieces with a puzzle-like joint. Easy to assemble.

MLFSP3260	31.5 x 15.5 x 60 800 x 394 x 1524	13 5.9	1.2 0.03	\$769
-----------	--------------------------------------	-----------	-------------	-------

Lightweight freestanding floor partition. Move wherever you need to provide a focus space. 9mm thick PET Felt, no hardware connections. Folds flat for storage when not in use. Ships in two pieces with a puzzle-like joint. Easy to assemble.

POWER DATA	MODEL #	DIMENSIONS <sup>IN</sup> <sup>MM</sup>	WEIGHT <sup>LB</sup> <sup>KG</sup>	VOLUME <sup>FT<sup>3</sup></sup> <sup>MT<sup>3</sup></sup>	LIST PRICE
 <p><b>Power/Data Block</b></p>	<b>W x D x H</b>				
	MVLPDM	6.5 x 3.5 x 2.8 165 x 89 x 71	2 0.91	0.1 -	<b>\$268</b>
<p>Worksurface power and data module. Two power receptacles and two data receptacles. 9' cord. Worksurface cut-out must be done on-site by installer to accept MVLPDM. Template for cut-out provided. Available in <b>Black</b> only.</p>					
 <p><b>Mini Power Block</b></p>	MVCOVSM2B	2.25 x 3.75 x 3.12	2.35	0.5	<b>\$313</b>
	MVCOVSM2S	2.25 x 3.75 x 3.12	2.35	0.5	<b>\$313</b>
<p>Designed to retrofit into an existing grommet cut-out to bring power to the desktop. Fits in 3.27" x 1.9" cut-out (FOG, POG) and mounts to 0.5" to 2" thick surface. Includes two 12A, 120 VAC spill resistant power receptacles. 9' power cord with 90° flat plug with 45° rotation. ETL listed. Available in Black (<b>B</b>) or Silver (<b>S</b>) as indicated by last character of model number.</p>					
 <p><b>Mini Power/USB Block</b></p>	MVCOVS1UB	2.25 x 3.75 x 3.12	2.35	0.5	<b>\$494</b>
	MVCOVS1US	2.25 x 3.75 x 3.12	2.35	0.5	<b>\$494</b>
<p>Designed to retrofit into an existing grommet cut-out to bring power to the desktop. Fits in 3.27" x 1.9" cut-out (FOG, POG) and mounts to 0.5" to 2" thick surface. Includes one 12A, 120 VAC spill resistant power receptacle and two 2.1A (11W) USB charging ports. 9' power cord with 90° flat plug with 45° rotation. ETL listed. Available in Black (<b>B</b>) or Silver (<b>S</b>) as indicated by last character of model number.</p>					
 <p><b>Surface Mounted Power Module</b></p>	MVLDK1000	4.13 x 2.16 x 2.28 105 x 55 x 58	2.5 1.13	1.7 -	<b>\$234</b>
	<p>Above surface or below surface mounted module with one power outlet and two 2.1 amp USB ports. Includes 10' power cord. Available in <b>Black</b> only.</p>				