MVL monitor arms MVL keyboard supports Accessories Power and data

Accessories

OTG ACCESSORIES

MONITOR ARMS / KEYBOARD SUPPORTS M

MONITOR ARMS	MODEL #		WEIGHT KG		LIST PRICE
	MVL1SDEH	W x D x H 4.75 x 4.23-26 x 19.5 <i>121 x 107-660 x 495</i>	8 <i>3.63</i>	0.72 0.02	\$346
gle Monitor Double Extension Height Adjustment	with standard VES Enclosed cable ma	n provides 26″ of reach with 1 A standards. Pole-less arm m mager. 360° swivel. Can acc a desk clamp or through a gro	nonitor provides ommodate moni	a clean design and tors up to 14 lbs. A	folds into a 4 ³ / ₈ " area for mo
	MVL2SDEH	22 x 5.95-26 x 17.5 <i>559 x 151-660 x 445</i>	9.4 4.26	1.57 0.04	\$476
al Monitor Double Extension Height Adjustment	with standard VES Dual cross bar hold	provides 26" of reach with 13 A standards. Counterbalance ds monitors up to 22" in horizo uick and easy. Attach to any e in Silver only.	d spring technol ontal width each	ogy allows for 2 to 2 n. Enclosed cable m	20 lbs. load (max 10 lbs. per s anager. Tool-less clamp insta
YBOARD SUPPORTS	MVLKBT	20.6 x 12.5 x 4 <i>523 x 318 x 102</i>	4.78 2.17	0.42 <i>0.01</i>	\$173
yboard Drawer		w friction ball bearing slides f			
yuuaru Drawer		npartment. Keyboard platform lepth clearance under the s			iomic snaped keyboards.
					safeg
	Requires 17" of d MVLKP01 Package includes a 360° swivel. HDPI	Lepth clearance under the s 27.5 x 11.5 x 0.38	13.6 <i>6.17</i> E tray. Arm has removable wris	lation. 0.93 0.02 a 6" height and 30"" t rest. Tray comes v	\$369 tilt adjustment. Low profile
	Requires 17" of d MVLKP01 Package includes a 360° swivel. HDPI	27.5 x 11.5 x 0.38 699 x 292 x 10 articulating arm and 27" HDPE E tray is 0.38" thick and has a	13.6 <i>6.17</i> E tray. Arm has removable wris	lation. 0.93 0.02 a 6" height and 30"" t rest. Tray comes v	\$369 tilt adjustment. Low profile
rticulating Keyboard Package	Requires 17" of d MVLKP01 Package includes a 360° swivel. HDPI Requires 18" of d MVL5230B0 Easily fits onto a 2 height adjustment.	lepth clearance under the s 27.5 x 11.5 x 0.38 699 x 292 x 10 articulating arm and 27" HDPE E tray is 0.38" thick and has a lepth clearance under the s 35.4 x 23.2 x 6.2	13.6 6.17 E tray. Arm has removable wris urface for instal 47 21.32 pports up to 35 nded 20" above	lation. 0.93 0.02 a 6" height and 30"" t rest. Tray comes v lation. 4.8 0.13 Ibs. Keyboard surfa	\$369 tilt adjustment. Low profile o vith anti-slip strips. \$1148 ce tilts from -10°/+10°. Infin
ticulating Keyboard Package	Requires 17" of d MVLKP01 Package includes a 360° swivel. HDPI Requires 18" of d MVL5230B0 Easily fits onto a 2 height adjustment.	Lepth clearance under the s 27.5 x 11.5 x 0.38 <i>699 x 292 x 10</i> articulating arm and 27" HDPF E tray is 0.38" thick and has a Lepth clearance under the s 35.4 x 23.2 x 6.2 <i>899 x 589 x 157</i> 4" or deeper worksurface. Su . Primary surface can be exte	13.6 6.17 E tray. Arm has removable wris urface for instal 47 21.32 pports up to 35 nded 20" above	lation. 0.93 0.02 a 6" height and 30"" t rest. Tray comes v lation. 4.8 0.13 Ibs. Keyboard surfa	\$369 tilt adjustment. Low profile o vith anti-slip strips. \$1148 ce tilts from -10°/+10°. Infin

A ACCESSORIES / POWER

CPU Holder Dual Strap

ACCE

OTG ACCESSORIES

ESSORIES	MODEL #				LIST PRICE	
		W x D x H				
	MVLCPU	4 x 11 x 1.5	4	0.39	\$165	
		102 x 279 x 38	1.81	0.01		


CPU slides on a 17" track and swivels to allow full accessibility and easy storage. Straps adjust and fasten with buckles for simple installation. Accommodates CPU's weighing up to 30 lbs. and measuring 64" in perimeter. **Requires 17" of depth clearance** under the surface for installation.

VL1324DMF	24 x 0.5 x 13.25	2.6	0.4	\$458	
	610 x 13 x 337	1.18	0.01		
VL1330DMF	30 x 0.5 x 13.25	3	0.5	\$460	
	762 x 13 x 337	1.36	0.01		
VL1336DMF	36 x 0.5 x 13.25	3.6	0.6	\$494	
	914 x 13 x 337	1.63	0.01		
VL1342DMF	42 x 0.5 x 13.25	4.2	0.7	\$529	
	1067 x 13 x 337	1.91	0.01		
VL1348DMF	48 x 0.5 x 13.25	4.8	0.8	\$530	
	1219 x 13 x 337	2.18	0.02		
VL1354DMF	54 x 0.5 x 13.25	5.4	0.9	\$565	
	1372 x 13 x 337	2.45	0.02		
VL1360DMF	60 x 0.5 x 13.25	6	1	\$759	
	1524 x 13 x 337	2.72	0.02		
VL1366DMF	66 x 0.5 x 13.25	6.6	1.1	\$785	
	1676 x 13 x 337	2.99	0.03		

Mounts to a 1" or $1^{1/16}$ " thick worksurface. Mounting brackets included. If using a privacy panel with a monitor arm, the mounting style of the arm should be grommet mount or freestanding. These privacy panels cannot be used with edge clamp style monitor arms. Not for use with lonic benching kits. Shipped easy to assemble in 1 carton.

ML1324UMF	24 x 0.5 x 13.25	2.6	0.4	\$458	
	610 x 13 x 337	1.18	0.01		
ML1330UMF	30 x 0.5 x 13.25	3	0.5	\$460	
	762 x 13 x 337	1.36	0.01		
ML1336UMF	36 x 0.5 x 13.25	3.6	0.6	\$494	
	914 x 13 x 337	1.63	0.01		
ML1342UMF	42 x 0.5 x 13.25	4.2	0.7	\$529	
	1067 x 13 x 337	1.91	0.01		
ML1348UMF	48 x 0.5 x 13.25	4.8	0.8	\$530	
	1219 x 13 x 337	2.18	0.02		
ML1354UMF	54 x 0.5 x 13.25	5.4	0.9	\$565	
	1372 x 13 x 337	2.45	0.02		
ML1360UMF	60 x 0.5 x 13.25	6	1	\$759	
	1524 x 13 x 337	2.72	0.02		
ML1366UMF	66 x 0.5 x 13.25	6.6	1.1	\$785	
	1676 x 13 x 337	2.99	0.03		

Mounts to a 1" or 1 1/16" thick worksurface. Mounting brackets included. To add privacy panels to lonic benching kits (pages 99-99), use undermount privacy panels with adapter brackets MVLPPABx (page 102). If using a privacy panel with a monitor arm, the mounting style of the arm should be grommet mount or freestanding. These privacy panels cannot be used with edge clamp style monitor arms. Shipped easy to assemble in 1 carton.



Fabric Privacy Panel - Upmount



Fabric Privacy Panel - Undermount



OTG ACCESSORIES

ACCESSOR

ACCESSORIES / POWER A

	MODEL #	DIMENSIONS	WEIGHT	VOLUME	LIST PRICE
		W x D x H			
	Set of 1				
	MVLPET42-1	42 x 0.36 x 13.25	2.6	0.8	\$294
		1067 x 9 x 337	1.18	0.02	
	MVLPET48-1	48 x 0.36 x 13.25	3.3	0.9	\$309
		1219 x 9 x 337	1.5	0.02	
	MVLPET54-1	54 x 0.36 x 13.25	3.6	1	\$396
		1372 x 9 x 337	1.63	0.02	
	MVLPET60-1	60 x 0.36 x 13.25	3.8	1.1	\$409
		1524 x 9 x 337	1.72	0.03	
	MVLPET66-1	66 x 0.36 x 13.25	4.5	1.3	\$482
		1676 x 9 x 337	2.04	0.03	
1	Set of 4				
	MVLPET42-4	42 x 0.36 x 13.25	9.5	0.8	\$1123
		1067 x 9 x 337	4.31	0.02	
	MVLPET48-4	48 x 0.36 x 13.25	11.9	1	\$1175
		1219 x 9 x 337	5.4	0.02	
	MVLPET54-4	54 x 0.36 x 13.25	12.8	1.1	\$1517
		1372 x 9 x 337	5.81	0.03	
	MVLPET60-4	60 x 0.36 x 13.25	13.8	1.2	\$1561
~		1524 x 9 x 337	6.26	0.03	
~	MVLPET66-4	66 x 0.36 x 13.25	16.2	1.3	\$1840
		1676 x 9 x 337	7.35	0.03	


Mounts to 1" thick laminate surface, may be installed as undermount or up mount position. Mounting brackets included. Secured with wood screws, will mar the top surface when installed in upmount position. If using a privacy panel with a monitor arm, the mounting style of the arm should be grommet mount or freestanding. These privacy panels cannot be used with edge clamp style monitor arms. Shipped easy to assemble in 1 carton.

MLDTP3224	31.5 x 15.5 x 23.5	7	0.5	\$256
	800 x 394 x 597	3.18	0.01	

Lightweight freestanding desktop partition. Move wherever you need to provide a focus space. 9mm thick PET Felt, no hardware connections. Folds flat for storage when not in use. Ships in two pieces with a puzzle-like joint. Easy to assemble.

MLESP3260	31.5 x 15.5 x 60	12	12	\$769
IVILI 31 3200	J1.J X 1J.J X 00	15	1.2	9705
	800 x 394 x 1524	59	0.03	
	000 x 004 x 1024	0.0	0.00	


Lightweight freestanding floor partition. Move wherever you need to provide a focus space. 9mm thick PET Felt, no hardware connections. Folds flat for storage when not in use. Ships in two pieces with a puzzle-like joint. Easy to assemble.



PET Felt Privacy Screen



Desktop Short Partition



Floor Standing Tall Partition



A ACCESSORIES / POWER

OTG ACCESSORIES

/ER DATA	MODEL #	DIMENSIONS MM WxDxH	WEIGHT KG	VOLUME ^{FT 3}	LIST PRICE
	MVLPDM	6.5 x 3.5 x 2.8 165 x 89 x 71	2 0.91	0.1	\$268
er/Data Block	Worksurface nowe	r and data module. Two no	var racantaclas a	nd two data recent:	acles. 9' cord. Worksurface
		staller to accept MVLPDM.			
	MVCOVSM2B	2.25 x 3.75 x 3.12	2.35	0.5	\$313
	MVCOVSM2S	2.25 x 3.75 x 3.12	2.35	0.5	\$313
Power Block	mounts to 0.5" to 2	" thick surface. Includes tw	o 12A, 120 VAC s	pill resistant powe	. Fits in 3.27" x 1.9" cut-out r receptacles. 9' power cord by last character of model nu
	MVCOVS1UB	2.25 x 3.75 x 3.12	2.35	0.5	\$494
	MVCOVS1US	2.25 x 3.75 x 3.12	2.35	0.5	\$494
ower/USB Block	and mounts to 0.5	to 2" thick surface. Include power cord with 90° flat plu	s one 12A, 120 V	AC spill resistant p	 Fits in 3.27" x 1.9" cut-out ower receptacle and two 2.1 ilable in Black (B) or Silver (\$
	MVLDK1000	4.13 x 2.16 x 2.28 <i>105 x 55 x 58</i>	2.5 1.13	1.7 -	\$234
Mounted Power Module	Above surface or b Available in Black		ule with one pow	er outlet and two 2	.1 amp USB ports. Includes 1

