MVL monitor arms
MVL keyboard supports
Accessories
Power and data

Accessories

M MONITOR ARMS / KEYBOARD SUPPORTS

OTG ACCESSORIES



Single Monitor Double	Extension
w/Height Adjustment	

MODEL#	DIMENSIONS IN MM	WEIGHT $_{KG}^{LB}$	VOLUME HT's	LIST PRICE	
	WxDxH				
MVL1SDEH	4.75 x 4.23-26 x 19.5	8	0.72	\$346	
	121 x 107-660 x 495	3.63	0.02		

Single monitor arm provides 26" of reach with 13" of usable height adjustment. Quick connect option for mounting monitor with standard VESA standards. Pole-less arm monitor provides a clean design and folds into a 4.3% area for more desk space. Enclosed cable manager. 360° swivel. Can accommodate monitors up to 14 lbs. Attach to any standard 1" to 1.5" thick surface with flush edge by a desk clamp or through a grommet. Available in **Silver** only.

	a.
ı	
	- 31

Dual Monitor Double Extension w/Height Adjustment

MVL2SDEH	22 x 5.95-26 x 17.5	9.4	1.57	\$476
	559 x 151-660 x 445	4.26	0.04	

Dual monitor arm provides 26" of reach with 13" of usable height adjustment. Quick connect option for mounting monitor with standard VESA standards. Counterbalanced spring technology allows for 2 to 20 lbs. load (max 10 lbs. per screen). Dual cross bar holds monitors up to 22" in horizontal width each. Enclosed cable manager. Tool-less clamp installation makes assembly quick and easy. Attach to any standard 1" to 1.5" thick surface with flush edge by a desk clamp or through a grommet. Available in **Silver** only.

KEYBOARD SUPPORTS



Keyboard Drawer

MVLKBT	20.6 x 12.5 x 4	4.78	0.42	\$173	
	523 x 318 x 102	2.17	0.01		

Mounts on two low friction ball bearing slides for storage below workstation. Pull-out mouse tray (mountable left or right). Palm rest/pen compartment. Keyboard platform accommodates standard and ergonomic shaped keyboards. **Requires 17" of depth clearance** under the surface for installation.



Articulating Keyboard Package

MVI KP01	27.5 x 11.5 x 0.38	126	0.93	6360	
IVIVLKEUI	27.0 X 11.0 X 0.00	13.b	0.33	\$303	
	699 x 292 x 10	6 17	0.02		
	033 X 232 X 10	0.17	0.02		

Package includes articulating arm and 27" HDPE tray. Arm has a 6" height and 30"" tilt adjustment. Low profile design with 360° swivel. HDPE tray is 0.38" thick and has a removable wrist rest. Tray comes with anti-slip strips.

Requires 18" of depth clearance under the surface for installation.



Desktop Sit-Stand Workstation

MVL5230B0	35.4 x 23.2 x 6.2	47	4.8	\$1148	
	899 x 589 x 157	21.32	0.13		

Easily fits onto a 24" or deeper worksurface. Supports up to 35 lbs. Keyboard surface tilts from -10°/+10°. Infinite pneumatic height adjustment. Primary surface can be extended 20" above the desk. Black frame and surface. Comes with grommet for cord management. No tools required for installation.



Corner Desktop Sit-Stand	Workstation
--------------------------	-------------

MVL5230B5 42 x 38 x 6.2 55 9.3 **\$1508** 1067 x 965 x 157 24.95 0.26

Easily fits onto a 24" or deeper corner worksurface. Supports up to 35 lbs. Keyboard surface tilts from -10°/+10°. Infinite pneumatic height adjustment. Primary surface can be extended 20" above the desk. Black frame and surface. Comes with grommet for cord management. No tools required for installation.



CPU Holder Dual Strap

MODEL#	DIMENSIONS IN MM	WEIGHT $_{KG}^{LB}$	VOLUME HT3	LIST PRICE	
	WxDxH				
MVLCPU	4 x 11 x 1.5	4	0.39	\$165	
	102 x 279 x 38	1.81	0.01		

CPU slides on a 17" track and swivels to allow full accessibility and easy storage. Straps adjust and fasten with buckles for simple installation. Accommodates CPU's weighing up to 30 lbs. and measuring 64" in perimeter. **Requires 17" of depth clearance** under the surface for installation.

MVLFR	15.7 x 13.7 x 5.1	3.7	0.52	\$140	
	399 x 348 x 130	1.68	0.01		

Folding support legs provide tilt angles of 6° , 12° , 16° and 25° . Anti-fatigue rubber surface. Platform surface of 15.7° x 10° . Available in Black with Grey accents.

MI 1324DMF	24 x 0 5 x 13 25	2.6	0.4	\$416	
IVILTOZADIVIF	610 x 13 x 337	2.0 1.18	0.4	3410	
N 41 4 000 DN 45				A440	
ML1330DMF	30 x 0.5 x 13.25	3	0.5	\$418	
	762 x 13 x 337	1.36	0.01		
ML1336DMF	36 x 0.5 x 13.25	3.6	0.6	\$449	
	914 x 13 x 337	1.63	0.01		
ML1342DMF	42 x 0.5 x 13.25	4.2	0.7	\$481	
	1067 x 13 x 337	1.91	0.01		
ML1348DMF	48 x 0.5 x 13.25	4.8	0.8	\$482	
	1219 x 13 x 337	2.18	0.02		
ML1354DMF	54 x 0.5 x 13.25	5.4	0.9	\$514	
	1372 x 13 x 337	2.45	0.02		
ML1360DMF	60 x 0.5 x 13.25	6	1	\$690	
	1524 x 13 x 337	2.72	0.02		
ML1366DMF	66 x 0.5 x 13.25	6.6	1.1	\$714	
	1676 x 13 x 337	2.99	0.03		


Mounts to a 1" or 1 ¹/₁₆" thick worksurface. Mounting brackets included. If using a privacy panel with a monitor arm, the mounting style of the arm should be grommet mount or freestanding. These privacy panels cannot be used with edge clamp style monitor arms. Not for use with lonic benching kits. Shipped easy to assemble in 1 carton.

ML1324DML	23.75 x 0.44 x 13.25	14.4	0.5	\$263	
	603 x 11 x 337	6.53	0.01		
ML1330DML	29.75 x 0.44 x 13.25	17.1	0.6	\$350	
	756 x 11 x 337	7.76	0.01		
ML1336DML	35.75 x 0.44 x 13.25	19.8	0.7	\$377	
	908 x 11 x 337	8.98	0.01		
ML1342DML	41.75 x 0.44 x 13.25	22.6	0.8	\$380	
	1060 x 11 x 337	10.25	0.02		
ML1348DML	47.75 x 0.44 x 13.25	25.3	0.9	\$397	
	1213 x 11 x 337	11.48	0.02		
ML1354DML	53.75 x 0.44 x 13.25	28	1	\$471	
	1365 x 11 x 337	12.7	0.02		
ML1360DML	59.75 x 0.44 x 13.25	31.2	1.1	\$537	
	1518 x 11 x 337	14.15	0.03		
ML1366DML	65.75 x 0.44 x 13.25	33.9	1.2	\$561	
	1670 x 11 x 337	15.38	0.03		


Mounts to a 1" or 1 ¹/₁₆" thick worksurface. Mounting brackets included. If using a privacy panel with a monitor arm, the mounting style of the arm should be grommet mount or freestanding. These privacy panels cannot be used with edge clamp style monitor arms. Not for use with lonic benching kits. Shipped easy to assemble in 1 carton.



Four-Position Footrest



Fabric Privacy Panel - Upmount



Laminate Privacy Panel - Upmount


officestogo.com | canadien OfficestoGo



ACCESSORIES



Fabric Privacy Panel - Undermount



Mounts to a 1" or 1 ¹/₁₆" thick worksurface. Mounting brackets included. To add privacy panels to lonic benching kits (pages 120-122), use undermount privacy panels with adapter brackets MVLPPABx (page 123). If using a privacy panel with a monitor arm, the mounting style of the arm should be grommet mount or freestanding. These privacy panels cannot be used with edge clamp style monitor arms. Shipped easy to assemble in 1 carton.





Laminate Privacy Panel - Undermount

ML1324UML	23.75 x 0.44 x 13.25	14.7	0.5	\$263
	603 x 11 x 337	6.53	0.01	
ML1330UML	29.75 x 0.44 x 13.25	17.4	0.6	\$350
	756 x 11 x 337	7.89	0.01	
ML1336UML	35.75 x 0.44 x 13.25	20.2	0.7	\$377
	908 x 11 x 337	9.16	0.01	
ML1342UML	41.75 x 0.44 x 13.25	23	0.8	\$380
	1060 x 11 x 337	10.43	0.02	
ML1348UML	47.75 x 0.44 x 13.25	25.7	0.9	\$397
	1213 x 11 x 337	11.66	0.02	
ML1354UML	53.75 x 0.44 x 13.25	28.5	1	\$471
	1365 x 11 x 337	12.93	0.02	
ML1360UML	59.75 x 0.44 x 13.25	31.7	1.1	\$537
	1518 x 11 x 337	14.38	0.03	
ML1366UML	65.75 x 0.44 x 13.25	34.5	1.2	\$561
	1670 x 11 x 337	15.65	0.03	

Mounts to a 1" or $1^{1}/_{16}$ " thick worksurface. Mounting brackets included. To add privacy panels to lonic benching kits (pages 120-122), use undermount privacy panels with adapter brackets MVLPPABx (page 123). If using a privacy panel with a monitor arm, the mounting style of the arm should be grommet mount or freestanding. These privacy panels cannot be used with edge clamp style monitor arms. Shipped easy to assemble in 1 carton.

ACCESSORIES

MODEL#	DIMENSIONS	WEIGHT	VOLUME	LIST PRICE
	WxDxH			
Set of 1				
MVLPET42-1	42 x 0.36 x 13.25	2.6	0.8	\$267
	1067 x 9 x 337	1.18	0.02	
MVLPET48-1	48 x 0.36 x 13.25	3.3	0.9	\$281
	1219 x 9 x 337	1.5	0.02	
MVLPET54-1	54 x 0.36 x 13.25	3.6	1	\$360
	1372 x 9 x 337	1.63	0.02	
MVLPET60-1	60 x 0.36 x 13.25	3.8	1.1	\$372
	1524 x 9 x 337	1.72	0.03	
MVLPET66-1	66 x 0.36 x 13.25	4.5	1.3	\$438
	1676 x 9 x 337	2.04	0.03	
Set of 4				
MVLPET42-4	42 x 0.36 x 13.25	9.5	0.8	\$1021
	1067 x 9 x 337	4.31	0.02	
MVLPET48-4	48 x 0.36 x 13.25	11.9	1	\$1068
	1219 x 9 x 337	5.4	0.02	
MVLPET54-4	54 x 0.36 x 13.25	12.8	1.1	\$1379
	1372 x 9 x 337	5.81	0.03	
MVLPET60-4	60 x 0.36 x 13.25	13.8	1.2	\$1419
	1524 x 9 x 337	6.26	0.03	
MVLPET66-4	66 x 0.36 x 13.25	16.2	1.3	\$1673


Mounts to 1" thick laminate surface, may be installed as undermount or up mount position. Mounting brackets included. Secured with wood screws, will mar the top surface when installed in upmount position. If using a privacy panel with a monitor arm, the mounting style of the arm should be grommet mount or freestanding. These privacy panels cannot be used with edge clamp style monitor arms. Shipped easy to assemble in 1 carton. MVLAP42 42.5 x 0.25 x 13.25 3.6 8.0 \$292 1080 x 6 x 337 1.63 0.02 MVLAP48 48.5 x 0.25 x 13.25 4.3 \$332 0.02 1.95 1232 x 6 x 337 MVLAP54 54.5 x 0.25 x 13.25 5.1 1.1 \$448 1384 x 6 x 337 2.31 0.03 MVLAP60 60.5 x 0.25 x 13.25 5.3 1.2 \$487 0.03 1537 x 6 x 337 2.4 MVLAP66 \$509 66.5 x 0.25 x 13.25 6.5 1.3 1689 x 6 x 337 2.95 0.03 Mounting brackets included. If using a privacy panel with a monitor arm, the mounting style of the arm should be grommet mount or freestanding. These privacy panels cannot be used with edge clamp style monitor arms. Shipped easy to assemble in 1 carton. MLDTP3224 31.5 x 15.5 x 23.5 7 0.5 \$256 800 x 394 x 597 3.18 0.01 Lightweight freestanding desktop partition. Move wherever you need to provide a focus space. 9mm thick PET Felt, no hardware connections. Folds flat for storage when not in use. Ships in two pieces with a puzzle-like joint. Easy to assemble. MLFSP3260 31.5 x 15.5 x 60 13 1.2 \$769 800 x 394 x 1524 5.9 0.03

PET Felt Privacy Screen

Acrylic Privacy Panel



Desktop Short Partition



Floor Standing Tall Partition

Lightweight freestanding floor partition. Move wherever you need to provide a focus space. 9mm thick PET Felt, no hardware connections. Folds flat for storage when not in use. Ships in two pieces with a puzzle-like joint. Easy to assemble.

133 officestogo.com | canadien OfficestoGo

A ACCESSORIES / POWER

OTG ACCESSORIES



Power/Data Block

MUDEL#	DIMENSIONS _{MM}	WEIGHI _{KG}	VULUME _{MT}	LIST PRICE	
	WxDxH				
MVLPDM	6.5 x 3.5 x 2.8	2	0.1	\$268	
	165 x 89 x 71	0.91	-		

Worksurface power and data module. Two power receptacles and two data receptacles. 9' cord. Worksurface cut-out must be done on-site by installer to accept MVLPDM. Template for cut-out provided. Available in **Black** only.

MVCOVSM2B	2.25 x 3.75 x 3.12	2.35	0.5	\$313
MVCOVSM2S	2.25 x 3.75 x 3.12	2.35	0.5	\$313

Designed to retrofit into an existing grommet cut-out to bring power to the desktop. Fits in 3.27" x 1.9" cut-out (FOG, POG) and mounts to 0.5" to 2" thick surface. Includes two 12A, 120 VAC spill resistant power receptacles. 9' power cord with 90° flat plug with 45° rotation. ETL listed. Available in Black (**B**) or Silver (**S**) as indicated by last character of model number.

MVCOVS1UB	2.25 x 3.75 x 3.12	2.35	0.5	\$494	
MVCOVS1US	2.25 x 3.75 x 3.12	2.35	0.5	\$494	

Designed to retrofit into an existing grommet cut-out to bring power to the desktop. Fits in 3.27° x 1.9° cut-out (FOG, POG) and mounts to 0.5° to 2° thick surface. Includes one 12A, 120 VAC spill resistant power receptacle and two 2.1A (11W) USB charging ports. 9' power cord with 90° flat plug with 45° rotation. ETL listed. Available in Black (**B**) or Silver (**S**) as indicated by last character of model number.

MVLDK1000	4.13 x 2.16 x 2.28	2.5	1.7	\$234
	105 x 55 x 58	1.13	-	

Above surface or below surface mounted module with one power outlet and two 2.1 amp USB ports. Includes 10' power cord. Available in **Black** only.



Mini Power Block



Mini Power/USB Block



Surface Mounted Power Module