MVL monitor arms
MVL keyboard supports
Accessories
Power and data

# Accessories



| Single | Monitor   | Double | Extension |
|--------|-----------|--------|-----------|
| w/Heig | iht Adius | tment  |           |

| MODEL#   | DIMENSIONS IN MM      | WEIGHT KG | VOLUME HT3 | LIST PRICE |  |
|----------|-----------------------|-----------|------------|------------|--|
|          | WxDxH                 |           |            |            |  |
| MVL1SDEH | 4.75 x 4.23-26 x 19.5 | 8         | 0.72       | \$346      |  |
|          | 121 x 107-660 x 495   | 3.63      | 0.02       |            |  |

Single monitor arm provides 26" of reach with 13" of usable height adjustment. Quick connect option for mounting monitor with standard VESA standards. Pole-less arm monitor provides a clean design and folds into a  $4^{3}/8$ " area for more desk space. Enclosed cable manager. 360° swivel. Can accommodate monitors up to 14 lbs. Attach to any standard 1" to 1.5" thick surface with flush edge by a desk clamp or through a grommet. Available in **Silver** only.

|   | Į.      |
|---|---------|
| _ |         |
|   |         |
|   | - , SID |

Dual Monitor Double Extension w/Height Adjustment

| MANA SCREH | 22 x 5.95-26 x 17.5 | 0.4  | 1 57 | \$476        |  |
|------------|---------------------|------|------|--------------|--|
| IVIVLZSDEN | ZZ X 0.90-Z0 X 17.0 | 9.4  | 1.5/ | <b>\$470</b> |  |
|            | FFO 1F1 000 14F     | 4.00 | 0.04 |              |  |
|            | 559 x 151-660 x 445 | 4.26 | 0.04 |              |  |
|            |                     |      |      |              |  |

Dual monitor arm provides 26" of reach with 13" of usable height adjustment. Quick connect option for mounting monitor with standard VESA standards. Counterbalanced spring technology allows for 2 to 20 lbs. load (max 10 lbs. per screen). Dual cross bar holds monitors up to 22" in horizontal width each. Enclosed cable manager. Tool-less clamp installation makes assembly quick and easy. Attach to any standard 1" to 1.5" thick surface with flush edge by a desk clamp or through a grommet. Available in **Silver** only.

### **KEYBOARD SUPPORTS**



| MVLKBT | 20.6 x 12.5 x 4 | 4.78 | 0.42 | \$173 |
|--------|-----------------|------|------|-------|
|        | 523 x 318 x 102 | 2.17 | 0.01 |       |

#### **Keyboard Drawer**

Mounts on two low friction ball bearing slides for storage below workstation. Pull-out mouse tray (mountable left or right). Palm rest/pen compartment. Keyboard platform accommodates standard and ergonomic shaped keyboards. **Requires 17" of depth clearance** under the surface for installation.



| MVLKP01 | 27.5 x 11.5 x 0.38 | 13.6 | 0.93 | \$369 |  |
|---------|--------------------|------|------|-------|--|
|         | 699 x 292 x 10     | 6.17 | 0.02 |       |  |

#### **Articulating Keyboard Package**

Package includes articulating arm and 27" HDPE tray. Arm has a 6" height and 30"" tilt adjustment. Low profile design with 360° swivel. HDPE tray is 0.38" thick and has a removable wrist rest. Tray comes with anti-slip strips.

Requires 18" of depth clearance under the surface for installation.



# **Desktop Sit-Stand Workstation**

| MVL5230B0 | 35.4 x 23.2 x 6.2 | 47    | 4.8  | \$1148 |
|-----------|-------------------|-------|------|--------|
|           | 899 x 589 x 157   | 21.32 | 0.13 |        |

Easily fits onto a 24" or deeper worksurface. Supports up to 35 lbs. Keyboard surface tilts from -10°/+10°. Infinite pneumatic height adjustment. Primary surface can be extended 20" above the desk. Black frame and surface. Comes with grommet for cord management. No tools required for installation.



| Corner | Dackton | Cit_Ctand | Workstation |
|--------|---------|-----------|-------------|

| MVL5230B5 | 42 x 38 x 6.2    | 55    | 9.3  | \$1508 |  |
|-----------|------------------|-------|------|--------|--|
|           | 1067 x 965 x 157 | 24.95 | 0.26 |        |  |
|           |                  |       |      |        |  |

Easily fits onto a 24" or deeper corner worksurface. Supports up to 35 lbs. Keyboard surface tilts from -10°/+10°. Infinite pneumatic height adjustment. Primary surface can be extended 20" above the desk. Black frame and surface. Comes with grommet for cord management. No tools required for installation.


officestogo.com | canadien | OfficestoGo | 129



**CPU Holder Dual Strap** 

| MODEL# | DIMENSIONS IN MM | WEIGHT KG | VOLUME HT3 | LIST PRICE |  |
|--------|------------------|-----------|------------|------------|--|
|        | WxDxH            |           |            |            |  |
| MVLCPU | 4 x 11 x 1.5     | 4         | 0.39       | \$165      |  |
|        | 102 x 279 x 38   | 1.81      | 0.01       |            |  |


CPU slides on a 17" track and swivels to allow full accessibility and easy storage. Straps adjust and fasten with buckles for simple installation. Accommodates CPU's weighing up to 30 lbs. and measuring 64" in perimeter. **Requires 17" of depth clearance** under the surface for installation.



**Fabric Privacy Panel - Upmount** 

| ML1324DMF | 24 x 0.5 x 13.25 | 2.6  | 0.4  | \$416 |  |
|-----------|------------------|------|------|-------|--|
|           | 610 x 13 x 337   | 1.18 | 0.01 |       |  |
| ML1330DMF | 30 x 0.5 x 13.25 | 3    | 0.5  | \$418 |  |
|           | 762 x 13 x 337   | 1.36 | 0.01 |       |  |
| ML1336DMF | 36 x 0.5 x 13.25 | 3.6  | 0.6  | \$449 |  |
|           | 914 x 13 x 337   | 1.63 | 0.01 |       |  |
| ML1342DMF | 42 x 0.5 x 13.25 | 4.2  | 0.7  | \$481 |  |
|           | 1067 x 13 x 337  | 1.91 | 0.01 |       |  |
| ML1348DMF | 48 x 0.5 x 13.25 | 4.8  | 0.8  | \$482 |  |
|           | 1219 x 13 x 337  | 2.18 | 0.02 |       |  |
| ML1354DMF | 54 x 0.5 x 13.25 | 5.4  | 0.9  | \$514 |  |
|           | 1372 x 13 x 337  | 2.45 | 0.02 |       |  |
| ML1360DMF | 60 x 0.5 x 13.25 | 6    | 1    | \$690 |  |
|           | 1524 x 13 x 337  | 2.72 | 0.02 |       |  |
| ML1366DMF | 66 x 0.5 x 13.25 | 6.6  | 1.1  | \$714 |  |
|           | 1676 x 13 x 337  | 2.99 | 0.03 |       |  |
|           |                  |      |      |       |  |

Mounts to a 1" or  $1^{1}/_{16}$ " thick worksurface. Mounting brackets included. If using a privacy panel with a monitor arm, the mounting style of the arm should be grommet mount or freestanding. These privacy panels cannot be used with edge clamp style monitor arms. Not for use with lonic benching kits. Shipped easy to assemble in 1 carton.




**Laminate Privacy Panel - Upmount** 

| ML1324DML | 23.75 x 0.44 x 13.25 | 14.4  | 0.5  | \$263 |  |
|-----------|----------------------|-------|------|-------|--|
|           | 603 x 11 x 337       | 6.53  | 0.01 |       |  |
| ML1330DML | 29.75 x 0.44 x 13.25 | 17.1  | 0.6  | \$350 |  |
|           | 756 x 11 x 337       | 7.76  | 0.01 |       |  |
| ML1336DML | 35.75 x 0.44 x 13.25 | 19.8  | 0.7  | \$377 |  |
|           | 908 x 11 x 337       | 8.98  | 0.01 |       |  |
| ML1342DML | 41.75 x 0.44 x 13.25 | 22.6  | 0.8  | \$380 |  |
|           | 1060 x 11 x 337      | 10.25 | 0.02 |       |  |
| ML1348DML | 47.75 x 0.44 x 13.25 | 25.3  | 0.9  | \$397 |  |
|           | 1213 x 11 x 337      | 11.48 | 0.02 |       |  |
| ML1354DML | 53.75 x 0.44 x 13.25 | 28    | 1    | \$471 |  |
|           | 1365 x 11 x 337      | 12.7  | 0.02 |       |  |
| ML1360DML | 59.75 x 0.44 x 13.25 | 31.2  | 1.1  | \$537 |  |
|           | 1518 x 11 x 337      | 14.15 | 0.03 |       |  |
| ML1366DML | 65.75 x 0.44 x 13.25 | 33.9  | 1.2  | \$561 |  |
|           | 1670 x 11 x 337      | 15.38 | 0.03 |       |  |
|           | 707077778007         | 70.00 | 0.00 |       |  |


Mounts to a 1" or 1 <sup>1</sup>/<sub>16</sub>" thick worksurface. Mounting brackets included. If using a privacy panel with a monitor arm, the mounting style of the arm should be grommet mount or freestanding. These privacy panels cannot be used with edge clamp style monitor arms. Not for use with lonic benching kits. Shipped easy to assemble in 1 carton.



**ACCESSORIES** 



**Fabric Privacy Panel - Undermount** 



Mounts to a 1" or  $1^{1}/_{16}$ " thick worksurface. Mounting brackets included. To add privacy panels to lonic benching kits (pages 119-121), use undermount privacy panels with adapter brackets MVLPPABx (page 122). If using a privacy panel with a monitor arm, the mounting style of the arm should be grommet mount or freestanding. These privacy panels cannot be used with edge clamp style monitor arms. Shipped easy to assemble in 1 carton.





**Laminate Privacy Panel - Undermount** 

| ML1324UML | 23.75 x 0.44 x 13.25 | 14.7  | 0.5  | \$263 |  |
|-----------|----------------------|-------|------|-------|--|
|           | 603 x 11 x 337       | 6.53  | 0.01 |       |  |
| ML1330UML | 29.75 x 0.44 x 13.25 | 17.4  | 0.6  | \$350 |  |
|           | 756 x 11 x 337       | 7.89  | 0.01 |       |  |
| ML1336UML | 35.75 x 0.44 x 13.25 | 20.2  | 0.7  | \$377 |  |
|           | 908 x 11 x 337       | 9.16  | 0.01 |       |  |
| ML1342UML | 41.75 x 0.44 x 13.25 | 23    | 0.8  | \$380 |  |
|           | 1060 x 11 x 337      | 10.43 | 0.02 |       |  |
| ML1348UML | 47.75 x 0.44 x 13.25 | 25.7  | 0.9  | \$397 |  |
|           | 1213 x 11 x 337      | 11.66 | 0.02 |       |  |
| ML1354UML | 53.75 x 0.44 x 13.25 | 28.5  | 1    | \$471 |  |
|           | 1365 x 11 x 337      | 12.93 | 0.02 |       |  |
| ML1360UML | 59.75 x 0.44 x 13.25 | 31.7  | 1.1  | \$537 |  |
|           | 1518 x 11 x 337      | 14.38 | 0.03 |       |  |
| ML1366UML | 65.75 x 0.44 x 13.25 | 34.5  | 1.2  | \$561 |  |
|           | 1670 x 11 x 337      | 15.65 | 0.03 |       |  |
|           |                      |       |      |       |  |


Mounts to a 1" or  $1^{1}/_{16}$ " thick worksurface. Mounting brackets included. To add privacy panels to lonic benching kits (pages 119-121), use undermount privacy panels with adapter brackets MVLPPABx (page 122). If using a privacy panel with a monitor arm, the mounting style of the arm should be grommet mount or freestanding. These privacy panels cannot be used with edge clamp style monitor arms. Shipped easy to assemble in 1 carton.

officestogo.com | canadien OfficestoGo

**ACCESSORIES** 

| / | الهر             | _     |
|---|------------------|-------|
| 0 |                  |       |
|   |                  | /B /1 |
|   | / <sup>*</sup> / |       |
| _ | Ø                |       |
|   | 0                |       |

**PET Felt Privacy Screen** 



Mounts to 1" thick laminate surface, may be installed as undermount or up mount position. Mounting brackets included. Secured with wood screws, will mar the top surface when installed in upmount position. If using a privacy panel with a monitor arm, the mounting style of the arm should be grommet mount or freestanding. These privacy panels cannot be used with edge clamp style monitor arms. Shipped easy to assemble in 1 carton.

| 0  |   |
|----|---|
|    |   |
|    | 0 |
| Lo |   |

Acrylic Privacy Panel

| MVLAP42 | 42.5 x 0.25 x 13.25 | 3.6  | 0.8  | \$292 |  |
|---------|---------------------|------|------|-------|--|
|         | 1080 x 6 x 337      | 1.63 | 0.02 |       |  |
| MVLAP48 | 48.5 x 0.25 x 13.25 | 4.3  | 1    | \$332 |  |
|         | 1232 x 6 x 337      | 1.95 | 0.02 |       |  |
| MVLAP54 | 54.5 x 0.25 x 13.25 | 5.1  | 1.1  | \$448 |  |
|         | 1384 x 6 x 337      | 2.31 | 0.03 |       |  |
| MVLAP60 | 60.5 x 0.25 x 13.25 | 5.3  | 1.2  | \$487 |  |
|         | 1537 x 6 x 337      | 2.4  | 0.03 |       |  |
| MVLAP66 | 66.5 x 0.25 x 13.25 | 6.5  | 1.3  | \$509 |  |
|         | 1689 x 6 x 337      | 2.95 | 0.03 |       |  |


Mounting brackets included. If using a privacy panel with a monitor arm, the mounting style of the arm should be grommet mount or freestanding. These privacy panels cannot be used with edge clamp style monitor arms. Shipped easy to assemble in 1 carton.



**Desktop Short Partition** 

| MLDTP3224 | 31.5 x 15.5 x 23.5 | 7    | 0.5  | \$256 |
|-----------|--------------------|------|------|-------|
|           | 800 x 394 x 597    | 3.18 | 0.01 |       |

Lightweight freestanding desktop partition. Move wherever you need to provide a focus space. 9mm thick PET Felt, no hardware connections. Folds flat for storage when not in use. Ships in two pieces with a puzzle-like joint. Easy to assemble.



Floor Standing Tall Partition

| MLFSP3260 | 31.5 x 15.5 x 60 | 13  | 1.2  | \$769 |  |
|-----------|------------------|-----|------|-------|--|
|           | 800 x 394 x 1524 | 5.9 | 0.03 |       |  |
|           |                  |     |      |       |  |

Lightweight freestanding floor partition. Move wherever you need to provide a focus space. 9mm thick PET Felt, no hardware connections. Folds flat for storage when not in use. Ships in two pieces with a puzzle-like joint. Easy to assemble.

| 1 |  |
|---|--|
|   |  |

**POWER DATA** 

## Power/Data Block

| MODEL# | DIMENSIONS IN MM | WEIGHT KG | VOLUME HT3 | LIST PRICE |
|--------|------------------|-----------|------------|------------|
|        | WxDxH            |           |            |            |
| MVLPDM | 6.5 x 3.5 x 2.8  | 2         | 0.1        | \$268      |
|        | 165 x 89 x 71    | 0.91      | -          |            |
|        |                  |           |            |            |

Worksurface power and data module. Two power receptacles and two data receptacles. 9' cord. Worksurface cut-out must be done on-site by installer to accept MVLPDM. Template for cut-out provided. Available in **Black** only.

| < |       |  |
|---|-------|--|
|   | BBBBB |  |
| Į | ۰     |  |

Mini Power Block

| MVCOVSM2B | 2.25 x 3.75 x 3.12 | 2.35 | 0.5 | \$313 |  |
|-----------|--------------------|------|-----|-------|--|
| MVCOVSM2S | 2.25 x 3.75 x 3.12 | 2.35 | 0.5 | \$313 |  |

Designed to retrofit into an existing grommet cut-out to bring power to the desktop. Fits in 3.27" x 1.9" cut-out (FOG, POG) and mounts to 0.5" to 2" thick surface. Includes two 12A, 120 VAC spill resistant power receptacles. 9' power cord with 90° flat plug with 45° rotation. ETL listed. Available in Black (**B**) or Silver (**S**) as indicated by last character of model number.



Mini Power/USB Block

| MVCOVS1UB | 2.25 x 3.75 x 3.12 | 2.35 | 0.5 | \$494 |  |
|-----------|--------------------|------|-----|-------|--|
| MVC0VS1US | 2.25 x 3.75 x 3.12 | 2.35 | 0.5 | \$494 |  |

Designed to retrofit into an existing grommet cut-out to bring power to the desktop. Fits in 3.27" x 1.9" cut-out (FOG, POG) and mounts to 0.5" to 2" thick surface. Includes one 12A, 120 VAC spill resistant power receptacle and two 2.1A (11W) USB charging ports. 9' power cord with  $90^{\circ}$  flat plug with  $45^{\circ}$  rotation. ETL listed. Available in Black (**B**) or Silver (**S**) as indicated by last character of model number.



**Surface Mounted Power Module** 

| MVLDK1000 | 4.13 x 2.16 x 2.28 | 2.5  | 1.7 | \$234 |  |
|-----------|--------------------|------|-----|-------|--|
|           | 105 x 55 x 58      | 1.13 | -   |       |  |

Above surface or below surface mounted module with one power outlet and two 2.1 amp USB ports. Includes 10' power cord. Available in **Black** only.

officestogo.com | canadien OfficestoGo